

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 11, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 11 1890, was 29·0 per thousand of estimated population. This rate is 4·9 above that for the corresponding week of last year, and 2·5 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 15·1 per thousand; and the highest in Edinburgh, viz., 33·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being 0·4 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 224, or 29 above the number for last week.

The Mean Temperature was 44°·7, being 6°·2 above that for the week immediately preceding, and 6°·9 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 11, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Jan. 11, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	900	750	415	55·0	32·2	44·7	1·31
GLASGOW, . . .	6,111	530,208	86·763	8·02	435	330	175	55·0	36·2	45·8	1·62
EDINBURGH, . .	5,907	271,135	45·901	11·03	148	174	81	53·8	35·5	44·9	0·79
DUNDEE, . . .	3,408	166,027	48·717	10·71	93	93	57	51·9	32·2	42·9	0·94
ABERDEEN, . .	5,811	123,600	21·270	16·21	64	46	7	53·0	38·3	44·3	1·11
GREENOCK, . .	1,509	79,312	52·559	10·31	52	23	19	54·0	36·0	45·3	2·63
LEITH,	1,344	78,538	58·436	9·78	54	40	10	54·4	36·9	46·3	0·75
PAISLEY, . . .	3,493	63,469	18·170	17·53	47	31	60	53·1	35·0	45·4	1·55
PERTH,	4,336	33,274	7·674	26·99	7	13	6	52·5	33·0	42·4	1·11
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	886	617	219	46·8	23·0	37·8	0·63

[TURN OVER.]

Week ending Saturday, January 11, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 11, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	29.0	3.6	750	145	147	1	39	7	13	22	7	4	7	224	29	109	88
GLASGOW, .	32.4	3.2	330	56	54	*1	14	2	3	10	3	0	5	94	16	57	33
EDINBURGH,	33.4	6.5	174	28	36	0	23	0	4	6	1	0	0	52	8	30	46
DUNDEE, . .	29.1	2.8	93	27	17	0	0	0	2	5	0	2	0	32	1	10	4
ABERDEEN, .	19.4	1.3	46	7	16	0	1	0	0	0	1	1	1	12	0	3	2
GREENOCK, .	15.1	3.3	23	3	7	0	0	0	3	0	2	0	1	6	1	3	2
LEITH, . . .	26.5	4.0	40	12	9	0	1	4	1	0	0	0	0	11	3	2	1
PAISLEY, . .	25.4	1.6	31	10	4	0	0	0	0	1	0	1	0	14	0	3	0
PERTH, . . .	20.3	1.6	13	2	4	0	0	1	0	0	0	0	0	3	0	1	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 12, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	24.1	2.5	617	106	155	1	17	6	11	15	5	10	7	146	22	102	87
GLASGOW, .	28.9	3.8	294	53	59	0	12	6	3	12	2	4	3	70	8	51	39
EDINBURGH,	21.4	1.8	110	22	30	0	0	0	6	2	0	1	3	24	2	19	33
DUNDEE, . .	20.7	1.0	65	11	22	1	0	0	0	0	1	1	0	19	4	13	4
ABERDEEN, .	20.1	0.9	47	3	17	0	0	0	0	1	0	1	1	8	3	3	2
GREENOCK, .	25.9	5.3	39	9	9	0	5	0	1	0	0	2	0	11	1	5	4
LEITH, . . .	12.9	1.4	19	3	7	0	0	0	1	0	1	0	0	6	1	2	1
PAISLEY, . .	25.8	1.7	31	5	9	0	0	0	0	0	1	1	0	7	1	3	3
PERTH, . . .	19.0	0.0	12	0	2	0	0	0	0	0	0	0	0	1	2	6	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 3.

WEEK ENDING SATURDAY, JANUARY 18, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 18, 1890, was 27·2 per thousand of estimated population. This rate is 5·2 above that for the corresponding week of last year, but 1·8 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·6 per thousand; and the highest in Edinburgh, viz., 34·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 217, or 7 below the previous week.

The Mean Temperature was 45°·5, being 0°·8 above that for the week immediately preceding, and 5°·4 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 18, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Proxi- mity in Yards.	Registered during the Week ending Jan. 18, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	845	705	125	58·7	35·5	45·5	0·71
GLASGOW, . . .	6,111	530,208	86·763	8·02	351	277	51	55·3	37·2	46·9	0·83
EDINBURGH, . .	5,907	271,135	45·901	11·03	145	178	20	58·7	36·0	45·6	0·42
DUNDEE, . . .	3,408	166,027	48·717	10·71	113	103	24	51·1	36·0	44·3	0·44
ABERDEEN, . .	5,811	123,600	21·270	16·21	70	57	12	50·8	35·9	43·5	0·25
GREENOCK, . .	1,509	79,312	52·559	10·31	42	28	2	54·0	39·0	46·0	1·76
LEITH,	1,344	78,538	58·436	9·78	50	22	10	54·1	38·3	46·8	0·50
PAISLEY, . . .	3,493	63,469	18·170	17·53	50	22	4	53·5	36·0	46·2	0·88
PERTH,	4,336	33,274	7·674	26·99	24	18	2	55·0	35·5	45·1	0·61
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	864	563	101	57·6	31·0	40·1	0·42

[TURN OVER.]

Week ending Saturday, January 18, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 18, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	27.2	3.3	705	130	141	0	34	6	6	30	2	8	14	217	15	83	82	0
GLASGOW, .	27.2	3.2	277	55	47	0	14	1	0	16	0	2	7	74	8	35	24	0
EDINBURGH,	34.1	6.3	178	24	44	0	17	2	4	7	1	2	2	60	2	21	43	0
DUNDEE, . .	32.3	2.2	103	31	16	0	1	0	0	2	0	4	1	44	2	9	8	0
ABERDEEN, .	24.0	2.1	57	8	18	0	1	0	1	3	0	0	1	14	0	12	2	0
GREENOCK, .	18.4	0.7	28	5	3	0	0	1	0	0	0	0	3	5	3	4	3	0
LEITH, . . .	14.6	3.3	22	4	4	0	1	1	1	1	1	0	0	5	0	1	2	0
PAISLEY, . .	18.0	0.8	22	1	4	0	0	1	0	0	0	0	0	6	0	0	0	0
PERTH, . . .	28.1	1.6	18	2	5	0	0	0	0	1	0	0	0	9	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 19, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.0	2.5	563	108	146	1	14	4	10	16	7	12	4	156	19	90	63	1
GLASGOW, .	26.7	3.6	271	52	55	0	10	4	6	12	2	3	1	82	9	41	30	1
EDINBURGH,	17.9	1.0	92	15	30	0	1	0	0	0	2	2	0	27	4	16	18	0
DUNDEE, . .	17.8	1.0	56	12	12	0	0	0	1	1	0	1	0	18	2	5	2	0
ABERDEEN, .	19.3	2.6	45	10	16	0	0	0	0	2	0	4	1	9	2	5	2	0
GREENOCK, .	17.9	4.7	27	4	7	1	1	0	3	0	2	0	0	3	1	4	5	0
LEITH, . . .	13.6	1.4	20	3	6	0	0	0	0	1	0	1	0	5	1	5	1	0
PAISLEY, . .	30.8	3.3	37	9	12	0	2	0	0	0	1	1	1	8	0	9	5	0
PERTH, . . .	23.7	0.0	15	3	8	0	0	0	0	0	0	0	1	4	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 25, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 25, 1890, was 26·4 per thousand of estimated population. This number is 5·4 above that for the corresponding week of last year, but 0·8 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 16·4 per thousand; and the highest in Dundee, viz., 33·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 173, being 44 below the number for the previous week.

The Mean Temperature was 37°·2, being 8°·3 below that for the week immediately preceding, and 4°·2 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 25, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Jan. 25, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	863	683	105	52·9	21·0	37·2	1·97
GLASGOW, . . .	6,111	530,208	86·763	8·02	382	260	45	52·9	26·9	38·4	2·54
EDINBURGH, . .	5,907	271,135	45·901	11·03	140	128	15	51·5	24·0	36·6	1·60
DUNDEE, . . .	3,408	166,027	48·717	10·71	97	107	6	48·7	24·2	35·9	0·81
ABERDEEN, . .	5,811	123,600	21·270	16·21	77	79	12	50·1	21·0	35·7	0·90
GREENOCK, . .	1,509	79,312	52·559	10·31	51	30	7	52·2	31·0	38·4	4·09
LEITH,	1,344	78,538	58·436	9·78	56	46	9	52·4	28·0	38·0	1·53
PAISLEY, . . .	3,493	63,469	18·170	17·53	41	20	9	52·0	28·0	38·1	2·15
PERTH,	4,336	33,274	7·674	26·99	19	13	2	51·5	22·5	36·5	2·12
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	839	537	124	53·2	27·9	41·4	0·14

[TURN OVER.]

Week ending Saturday, January 25, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 25, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	26.4	3.5	683	121	144	0	36	7	8	21	6	12	8	173	23	93	62
GLASGOW, .	25.5	3.8	260	48	50	0	19	1	2	7	5	5	4	56	10	30	26
EDINBURGH,	24.5	4.6	128	15	29	0	13	1	4	5	0	1	1	39	4	28	23
DUNDEE, . .	33.5	2.8	107	26	20	0	1	0	1	4	0	3	0	35	4	6	4
ABERDEEN, .	33.2	1.3	79	14	25	0	1	0	0	1	0	1	3	26	1	13	3
GREENOCK, .	19.7	0.7	30	6	5	0	0	0	0	0	0	1	0	6	2	5	3
LEITH, . . .	30.5	7.9	46	9	6	0	2	5	1	2	1	1	0	10	1	2	3
PAISLEY, . .	16.4	1.6	20	2	4	0	0	0	0	2	0	0	0	1	0	5	0
PERTH, . . .	20.3	0.0	13	1	5	0	0	0	0	0	0	0	0	0	1	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 26, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21.0	2.5	537	108	116	2	19	4	7	19	8	6	11	129	17	82	66
GLASGOW, .	25.1	4.0	255	47	43	0	14	4	1	17	4	1	5	65	7	40	24
EDINBURGH,	18.3	1.4	94	16	24	0	0	0	4	1	2	0	2	17	4	15	21
DUNDEE, . .	15.6	1.9	49	11	10	1	2	0	0	1	0	2	1	16	2	8	4
ABERDEEN, .	18.0	1.3	42	9	11	1	0	0	0	0	0	2	0	6	1	7	3
GREENOCK, .	19.9	4.0	30	9	5	0	2	0	2	0	1	1	0	9	1	3	6
LEITH, . . .	19.1	0.0	28	7	8	0	0	0	0	0	0	0	2	7	2	2	2
PAISLEY, . .	27.4	1.7	33	9	14	0	1	0	0	0	1	0	1	8	0	5	5
PERTH, . . .	9.5	0.0	6	0	1	0	0	0	0	0	0	0	0	1	0	2	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 5.

WEEK ENDING SATURDAY, FEBRUARY 1, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 1, 1890, was 25·5 per thousand of estimated population. This rate is 4·1 above that for the corresponding week of last year, but 0·9 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 13·8 per thousand; and the highest in Dundee, 32·3, and Aberdeen, 32·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, exactly the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 181, being 8 more than for last week.

The Mean Temperature was 41°·7, being 4°·5 above that for the week immediately preceding, but 0°·3 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 1, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Feb. 1, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	856	661	130	56·0	27·5	41·7	0·44
GLASGOW, . . .	6,111	530,208	86·763	8·02	378	249	58	53·1	31·0	42·5	0·36
EDINBURGH, . .	5,907	271,135	45·901	11·03	147	131	35	51·5	30·1	41·3	0·42
DUNDEE, . . .	3,408	166,027	48·717	10·71	97	103	11	51·6	29·1	39·8	0·60
ABERDEEN, . .	5,811	123,600	21·270	16·21	72	77	11	54·2	32·0	40·7	0·35
GREENOCK, . .	1,509	79,312	52·559	10·31	47	21	6	52·2	32·2	42·2	0·98
LEITH,	1,344	78,538	58·436	9·78	51	32	2	52·7	32·4	42·6	0·46
PAISLEY, . . .	3,493	63,469	18·170	17·53	49	36	4	52·4	33·9	43·4	0·32
PERTH,	4,336	33,274	7·674	26·99	15	12	3	56·0	27·5	41·2	0·02
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	722	547	129	58·2	24·0	42·0	0·90

[TURN OVER.]

Week ending Saturday, February 1, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 1, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	25.5	3.5	661	132	146	0	18	13	12	26	9	12	6	181	17	98	71
GLASGOW, .	24.4	2.7	249	48	40	0	8	3	2		4	4	2	74	8	39	26
EDINBURGH,	25.1	4.0	131	23	37	0	9	0	3	6	2	1	0	25	3	19	33
DUNDEE, . .	32.3	5.3	103	21	28	0	0	0	6	9	0	2	1	36	2	9	4
ABERDEEN, .	32.4	3.4	77	16	22	0	1	0	0	3	2	2	2	24	3	17	1
GREENOCK, .	13.8	1.3	21	3	4	0	0	1	0	0	0	1	0	3	0	4	0
LEITH, . . .	21.2	6.0	32	6	3	0	0	8	1	0	0	0	1	5	0	2	3
PAISLEY, . .	29.5	2.8	36	12	6	0	0	0	0	1	1	1	0	10	1	6	4
PERTH, . . .	18.8	3.1	12	3	6	0	0	1	0	0	0	1	0	4	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 2, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	21.4	2.5	547	96	132	1	18	4	5	20	9	8	6	128	16	106	78
GLASGOW, .	25.1	3.7	255	49	50	0	13	3	0	14	5	3	4	62	7	47	35
EDINBURGH,	19.1	1.2	98	15	33	0	0	1	2	1	1	1	1	18	3	27	32
DUNDEE, . .	22.6	2.9	71	10	17	1	1	0	1	3	0	3	0	16	2	7	5
ABERDEEN, .	16.7	0.4	39	7	12	0	0	0	0	1	0	0	0	8	0	7	1
GREENOCK, .	19.3	4.0	29	4	4	0	3	0	0	0	3	0	0	13	0	6	2
LEITH, . . .	13.6	1.4	20	3	6	0	0	0	1	1	0	0	0	4	0	1	1
PAISLEY, . .	20.8	2.5	25	5	8	0	1	0	1	0	0	1	1	4	2	9	2
PERTH, . . .	15.8	0.0	10	3	2	0	0	0	0	0	0	0	0	3	2	2	0

WEEKLY RETURN

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 8, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 8, 1890, was 25·0 per thousand of estimated population. This rate is 2·7 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 18·5 per thousand; and the highest in Perth, viz., 32·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 157, being 24 below the number for the previous week.

The Mean Temperature was 38°·3, being 3°·4 below that for the week immediately preceding, but 2°·1 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 8, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Feb. 8, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	770	646	142	52·2	24·5	38·3	0·06
GLASGOW, . . .	6,111	530,208	86·763	8·02	321	254	72	47·2	25·5	38·6	0·07
EDINBURGH, . .	5,907	271,135	45·901	11·03	147	127	22	49·0	24·7	36·9	0·04
DUNDEE, . . .	3,408	166,027	48·717	10·71	94	84	11	48·8	26·1	37·5	0·00
ABERDEEN, . .	5,811	123,600	21·270	16·21	68	65	12	52·2	29·8	39·9	0·00
GREENOCK, . .	1,509	79,312	52·559	10·31	43	32	6	47·5	28·0	38·5	0·29
LEITH,	1,344	78,538	58·436	9·78	43	28	9	48·6	27·2	38·7	0·04
PAISLEY, . . .	3,493	63,469	18·170	17·53	39	35	9	47·9	27·5	38·1	0·08
PERTH,	4,336	33,274	7·674	26·99	15	21	1	51·0	24·5	38·6	0·00
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	776	571	135	48·5	22·3	36·2	0·30

Week ending Saturday, February 8, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 8, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	25.0	3.3	646	122	147	0	24	13	7	29	8	4	5	157	11	111	79	5
GLASGOW, .	24.9	3.1	254	58	47	0	6	2	2	17	5	0	1	64	6	47	35	5
EDINBURGH,	24.4	5.2	127	20	26	0	16	3	3	3	1	1	1	23	2	24	29	0
DUNDEE, . .	26.3	2.5	84	19	24	0	1	0	2	3	1	1	0	29	2	11	4	0
ABERDEEN, .	27.3	1.3	65	8	25	0	0	0	0	2	0	1	1	23	0	7	1	0
GREENOCK, .	21.0	2.6	32	8	5	0	1	0	0	3	0	0	1	6	0	5	4	0
LEITH, . . .	18.5	5.3	28	2	8	0	0	7	0	0	0	1	0	1	0	3	3	0
PAISLEY, . .	28.7	2.5	35	7	8	0	0	1	0	1	1	0	1	7	0	8	3	0
PERTH, . . .	32.8	0.0	21	0	4	0	0	0	0	0	0	0	0	4	1	6	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 9, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.3	2.4	571	123	127	0	7	2	11	22	5	14	7	123	18	75	68	3
GLASGOW, .	26.9	3.4	273	70	49	0	2	2	7	12	3	9	4	65	5	34	36	2
EDINBURGH,	19.3	1.2	99	15	30	0	1	0	2	2	0	1	2	21	7	18	19	0
DUNDEE, . .	25.5	2.9	80	17	16	0	2	0	1	3	0	3	1	14	3	8	4	0
ABERDEEN, .	18.0	1.7	42	6	15	0	0	0	0	4	0	0	0	8	0	7	2	0
GREENOCK, .	20.6	2.0	31	2	6	0	2	0	0	0	1	0	0	4	3	3	5	0
LEITH, . . .	10.9	0.7	16	6	5	0	0	0	1	0	0	0	0	2	0	1	1	0
PAISLEY, . .	17.5	2.5	21	6	5	0	0	0	0	1	1	1	0	7	0	2	1	0
PERTH, . . .	14.2	0.0	9	1	1	0	0	0	0	0	0	0	0	2	0	2	0	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 7.

WEEK ENDING SATURDAY, FEBRUARY 15, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 15, 1890, was 28·7 per thousand of estimated population. This rate is 7·1 above that for the corresponding week of last year, and 3·7 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 18·8 per thousand; and the highest in Paisley, viz., 34·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 186, being an increase of 29 on the number for last week.

The Mean Temperature was 34°·3, being 4°·0 below that for the week immediately preceding, and 0°·2 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 15, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Feb. 15, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	772	742	140	43·2	22·5	34·3	0·35
GLASGOW, . . .	6,111	530,208	86·763	8·02	319	331	75	41·7	26·0	33·8	0·16
EDINBURGH, . .	5,907	271,135	45·901	11·03	146	121	29	42·1	24·6	33·1	0·00
DUNDEE, . . .	3,408	166,027	48·717	10·71	90	89	13	40·9	26·3	34·6	1·14
ABERDEEN, . .	5,811	123,600	21·270	16·21	65	75	8	43·1	32·2	38·4	0·02
GREENOCK, . .	1,509	79,312	52·559	10·31	48	38	4	41·0	28·0	34·1	0·07
LEITH,	1,344	78,538	58·436	9·78	47	34	10	41·0	27·6	34·5	0·26
PAISLEY, . . .	3,493	63,469	18·170	17·53	36	42	1	43·2	27·2	33·9	0·18
PERTH,	4,336	33,274	7·674	26·99	21	12	0	40·0	22·5	32·4	0·94
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	825	553	142	50·2	20·0	34·5	0·81

[TURN OVER.]

Week ending Saturday, February 15, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 15, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	28·7	3·7	742	141	149	0	34	6	8	29	8	10	9	186	22	101	85	3
GLASGOW, .	32·5	3·3	331	63	61	0	12	2	2	13	4	1	3	102	13	42	42	2
EDINBURGH,	23·2	6·9	121	19	23	0	18	1	4	9	0	4	1	13	3	22	28	0
DUNDEE, . .	27·9	2·8	89	21	19	0	1	0	0	5	1	2	2	23	4	10	5	0
ABERDEEN, .	31·6	2·5	75	19	21	0	2	0	0	1	2	1	1	19	1	13	3	0
GREENOCK, .	24·9	2·0	38	6	5	0	0	0	1	1	0	1	0	5	0	2	4	0
LEITH, . . .	22·5	4·0	34	5	6	0	1	2	1	0	1	1	0	9	1	3	0	1
PAISLEY, . .	34·4	0·8	42	5	10	0	0	1	0	0	0	0	2	12	0	8	3	0
PERTH, . . .	18·8	0·0	12	3	4	0	0	0	0	0	0	0	0	3	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 16, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·6	2·4	553	102	145	0	23	3	8	18	2	7	13	105	16	97	68	1
GLASGOW, .	25·3	4·4	257	56	33	0	21	0	4	16	1	3	6	55	7	38	35	1
EDINBURGH,	19·1	1·2	98	17	28	0	0	0	3	0	1	2	2	12	1	17	25	0
DUNDEE, . .	16·9	0·0	53	11	9	0	0	0	0	0	0	0	0	13	3	6	4	0
ABERDEEN, .	19·3	0·4	45	9	16	0	0	0	1	0	0	0	2	8	1	11	0	0
GREENOCK, .	23·3	2·7	35	2	10	0	2	1	0	0	0	1	1	9	1	4	1	0
LEITH, . . .	19·7	1·4	29	2	7	0	0	1	0	1	0	0	2	6	0	6	0	0
PAISLEY, . .	21·6	1·7	26	5	10	0	0	1	0	1	0	0	0	2	2	11	3	0
PERTH, . . .	15·8	1·6	10	0	2	0	0	0	0	0	0	1	0	0	1	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 8.

WEEK ENDING SATURDAY, FEBRUARY 22, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 22, 1890, was 28·3 per thousand of estimated population. This rate is 7·1 above that for the corresponding week of last year, but 0·4 below that for the previous week of the present year.

The lowest mortality was recorded equally in Greenock and Perth, viz., 20·3 per thousand; and the highest in Dundee, viz., 33·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·9 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 197, or 11 more than for the previous week.

The Mean Temperature was 37°·9, being 3°·6 above that for the week immediately preceding, but 4°·6 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 22, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Feb. 22, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	793	732	145	47·1	28·3	37·9	0·49
GLASGOW, . . .	6,111	530,208	86·763	8·02	355	324	55	46·2	32·8	38·4	0·31
EDINBURGH, . .	5,907	271,135	45·901	11·03	138	125	36	46·2	28·3	37·5	0·84
DUNDEE, . . .	3,408	166,027	48·717	10·71	91	107	18	44·8	29·2	37·2	0·22
ABERDEEN, . .	5,811	123,600	21·270	16·21	72	58	13	46·2	32·3	38·7	0·67
GREENOCK, . .	1,509	79,312	52·559	10·31	43	31	5	44·0	32·5	37·6	0·59
LEITH,	1,344	78,538	58·436	9·78	45	35	5	45·4	32·7	38·2	0·49
PAISLEY, . . .	3,493	63,469	18·170	17·53	38	39	10	47·1	33·0	38·5	0·33
PERTH,	4,336	33,274	7·674	26·99	11	13	3	43·0	28·9	36·8	0·47
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	824	542	176	56·2	28·4	42·5	0·37

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, MARCH 1, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 1, 1890, was 26·9 per thousand of estimated population. This rate is 4·6 above that for the corresponding week of last year, but 1·4 below that for the previous week of the present year.

The lowest mortality was recorded at Greenock, viz., 17·7 per thousand; and the highest at Paisley, viz., 36·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being 0·2 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 191, being 6 less than for last week.

The Mean Temperature was 39°·0, being 1°·1 above that for the week immediately preceding, and 5°·0 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 1, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending March 1, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	830	697	125	56·3	27·1	39·0	0·08
GLASGOW, . . .	6,111	530,208	86·763	8·02	413	287	65	52·6	28·8	39·4	0·00
EDINBURGH, . .	5,907	271,135	45·901	11·03	129	140	17	52·2	27·5	38·5	0·00
DUNDEE, . . .	3,408	166,027	48·717	10·71	71	89	8	50·4	28·6	37·7	0·30
ABERDEEN, . .	5,811	123,600	21·270	16·21	73	59	11	53·2	27·1	39·6	0·17
GREENOCK, . .	1,509	79,312	52·559	10·31	43	27	5	51·0	29·2	39·7	0·09
LEITH,	1,344	78,538	58·436	9·78	52	34	7	51·2	29·8	39·5	0·06
PAISLEY, . . .	3,493	63,469	18·170	17·53	38	44	7	56·3	28·4	40·3	0·01
PERTH,	4,336	33,274	7·674	26·99	11	17	5	54·0	28·0	37·2	0·02
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	793	571	212	46·9	21·2	34·0	0·51

Week ending Saturday, March 1, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 1, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	26·9	3·7	697	127	167	0	24	4	6	53	4	6	10	191	16	90	87	2
GLASGOW, .	28·1	4·6	287	50	66	0	13	2	2	27	0	3	5	76	7	39	36	2
EDINBURGH,	26·9	3·5	140	21	40	0	6	0	0	11	1	0	1	36	4	21	34	0
DUNDEE, . .	27·9	2·8	89	24	20	0	0	0	1	7	1	0	0	31	1	12	6	0
ABERDEEN, .	24·8	2·1	59	13	14	0	1	0	0	4	0	0	1	13	1	6	2	0
GREENOCK, .	17·7	0·0	27	4	11	0	0	0	0	0	0	0	1	13	0	1	6	0
LEITH, . . .	22·5	7·3	34	6	3	0	4	2	2	1	2	0	0	7	1	2	0	0
PAISLEY, . .	36·0	4·9	44	5	7	0	0	0	1	3	0	2	2	8	2	5	3	0
PERTH, . . .	26·7	1·6	17	4	6	0	0	0	0	0	0	1	0	7	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 2, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·3	3·4	571	108	116	0	41	4	10	24	2	5	11	128	16	80	59	3
GLASGOW, .	27·8	6·6	282	53	35	0	37	4	5	19	2	0	4	65	12	39	31	2
EDINBURGH,	18·7	0·8	101	18	24	0	0	0	2	0	0	2	4	19	3	20	18	0
DUNDEE, . .	17·8	1·9	56	10	13	0	3	0	0	2	0	1	0	14	0	6	4	0
ABERDEEN, .	18·4	1·3	43	7	12	0	1	0	1	0	0	1	1	7	0	6	1	0
GREENOCK, .	21·3	2·0	32	8	10	0	0	0	1	2	0	0	1	8	0	1	3	0
LEITH, . . .	15·0	1·4	22	6	5	0	0	0	1	1	0	0	0	5	1	1	0	0
PAISLEY, . .	19·1	0·0	23	4	10	0	0	0	0	0	0	0	1	6	0	4	2	0
PERTH, . . .	19·0	0·0	12	2	7	0	0	0	0	0	0	1	0	4	0	3	0	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 10. WEEK ENDING SATURDAY, MARCH 8, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 8, 1890, was 26·7 per thousand of estimated population. This rate is 3·2 above that for the corresponding week of last year, but 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 20·3 per thousand; and the highest in Aberdeen, viz., 30·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·0 per thousand, being 0·3 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 173, being 18 less than for last week.

The Mean Temperature was 39°·1, being 0°·1 above that for the week immediately preceding, and 5°·2 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 8, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending March 8, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	795	690	193	52·4	20·5	39·1	0·71
GLASGOW, . . .	6,111	530,208	86·763	8·02	368	300	96	50·6	21·8	39·7	0·95
EDINBURGH, . .	5,907	271,135	45·901	11·03	138	120	34	50·2	23·4	39·3	0·21
DUNDEE, . . .	3,408	166,027	48·717	10·71	100	80	17	50·8	22·6	38·6	0·50
ABERDEEN, . .	5,811	123,600	21·270	16·21	57	73	14	52·4	24·5	37·3	0·87
GREENOCK, . .	1,509	79,312	52·559	10·31	46	35	9	48·0	26·0	39·2	1·56
LEITH,	1,344	78,538	58·436	9·78	34	43	6	51·3	27·8	40·4	0·30
PAISLEY, . . .	3,493	63,469	18·170	17·53	33	26	15	51·1	24·1	40·0	0·78
PERTH,	4,336	33,274	7·674	26·99	19	13	2	52·0	20·5	38·3	0·53
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	843	600	199	47·2	10·2	33·9	0·39

Week ending Saturday, March 8, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 8, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	26·7	4·0	690	144	150	0	29	7	11	44	4	9	8	173	22	81	74	4
GLASGOW, .	29·4	4·5	300	58	56	0	17	2	5	17	1	4	3	81	11	34	35	2
EDINBURGH,	23·0	3·6	120	18	26	0	8	1	2	8	0	0	0	28	2	19	23	0
DUNDEE, . .	25·1	4·1	80	27	16	0	0	0	2	9	0	2	1	24	2	4	4	0
ABERDEEN, .	30·7	3·4	73	22	16	0	1	0	0	6	1	0	3	8	3	8	1	0
GREENOCK, .	23·0	2·6	35	9	9	0	0	0	1	2	0	1	0	9	2	2	6	1
LEITH, . . .	28·5	6·6	43	6	8	0	3	4	0	2	0	1	0	11	1	4	3	1
PAISLEY, . .	21·3	2·5	26	2	11	0	0	0	0	0	2	1	0	8	1	9	2	0
PERTH, . . .	20·3	1·6	13	2	8	0	0	0	1	0	0	0	1	4	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 9, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·5	3·0	600	116	119	0	26	1	11	27	2	9	14	128	20	84	72	3
GLASGOW; .	28·0	5·5	284	49	46	0	25	1	6	20	1	3	8	59	12	46	24	1
EDINBURGH,	23·2	1·4	119	21	35	0	0	0	3	3	0	1	4	28	4	13	29	0
DUNDEE, . .	19·4	0·6	61	17	9	0	0	0	0	2	0	0	0	13	2	6	5	0
ABERDEEN, .	16·7	1·7	39	6	16	0	0	0	0	0	0	4	1	6	0	6	1	0
GREENOCK, .	19·9	2·7	30	7	3	0	1	0	1	1	1	0	0	9	0	3	8	1
LEITH, . . .	18·4	0·7	27	8	2	0	0	0	1	0	0	0	1	4	1	5	1	0
PAISLEY, . .	18·3	0·8	22	3	5	0	0	0	0	1	0	0	0	6	1	4	3	0
PERTH, . . .	28·5	1·6	18	5	3	0	0	0	0	0	0	1	0	3	0	1	1	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 15, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 15, 1890, was 25·2 per thousand of estimated population. This rate is 0·2 below that for the corresponding week of last year, and 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 17·2 per thousand; and the highest in Leith, viz., 31·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·0 per thousand, exactly the same as for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 149, being 24 less than for last week.

The Mean Temperature was 44°·3, being 5°·2 above that for the week immediately preceding, and 1°·6 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 15, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending March 15, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	831	652	150	61·3	22·1	44·3	0·78
GLASGOW, . . .	6,111	530,208	86·763	8·02	378	286	66	54·9	27·1	45·2	0·50
EDINBURGH, . . .	5,907	271,135	45·901	11·03	159	108	39	55·4	27·5	45·0	0·33
DUNDEE, . . .	3,408	166,027	48·717	10·71	84	76	11	58·1	22·1	43·9	0·60
ABERDEEN, . . .	5,811	123,600	21·270	16·21	74	63	10	61·3	24·7	42·8	0·65
GREENOCK, . . .	1,509	79,312	52·559	10·31	45	35	9	52·7	27·2	43·9	3·05
LEITH,	1,344	78,538	58·436	9·78	45	47	6	55·0	29·9	46·0	0·18
PAISLEY,	3,493	63,469	18·170	17·53	35	21	7	54·3	28·1	44·7	0·72
PERTH,	4,336	33,274	7·674	26·99	11	16	2	56·5	22·5	42·6	0·25
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	846	650	153	58·2	26·9	42·7	0·12

Week ending Saturday, March 15, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 15, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	25.2	4.0	652	130	130	1	28	6	10	39	8	12	5	149	12	105	57	6		
GLASGOW, .	28.1	4.5	286	57	48	*1	12	2	3	18	4	6	2	63	4	47	26	4		
EDINBURGH,	20.7	3.5	108	18	21	0	10	1	3	3	0	1	0	23	1	26	18	0		
DUNDEE, . .	23.8	3.4	76	21	13	0	1	2	1	4	0	3	1	24	5	4	3	0		
ABERDEEN, .	26.5	4.2	63	15	13	0	0	0	0	7	1	2	2	11	1	14	2	1		
GREENOCK, .	23.0	2.0	35	3	9	0	0	0	2	1	0	0	0	8	1	3	4	0		
LEITH, . . .	31.1	8.6	47	11	13	0	5	1	0	4	3	0	0	10	0	4	2	0		
PAISLEY, . .	17.2	1.6	21	4	3	0	0	0	0	2	0	0	0	3	0	5	1	0		
PERTH, . . .	25.0	1.6	16	1	10	0	0	0	1	0	0	0	0	7	0	2	1	1		

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 16, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	25.4	4.1	650	137	138	0	45	5	7	37	2	10	11	162	19	75	66	3		
GLASGOW, .	32.4	7.0	329	72	56	0	37	3	1	25	1	4	5	82	14	38	35	2		
EDINBURGH,	19.7	1.9	101	18	25	0	1	1	3	4	0	1	1	24	1	23	18	0		
DUNDEE, . .	21.7	3.5	68	18	16	0	2	0	1	4	0	4	3	15	2	3	3	0		
ABERDEEN, .	24.4	2.6	57	9	20	0	2	0	1	1	1	1	1	14	1	3	1	0		
GREENOCK, .	23.9	2.7	36	10	6	0	1	0	0	3	0	0	0	9	1	3	4	0		
LEITH, . . .	11.6	0.0	17	1	5	0	0	0	0	0	0	0	1	4	0	1	0	0		
PAISLEY, . .	28.3	2.5	34	8	8	0	2	0	1	0	0	0	0	10	0	2	4	0		
PERTH, . . .	12.7	1.6	8	1	2	0	0	1	0	0	0	0	0	4	0	2	1	1		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 22, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 22, 1890, was 24·8 per thousand of estimated population. This rate is 1·4 above that for the corresponding week of last year, but 0·4 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 18·9 per thousand; and the highest in Perth, viz., 28·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·9 per thousand, being 0·1 less than for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 123, being 26 below the number for last week.

The Mean Temperature was 42°·7, being 1°·6 below that for the week immediately preceding, but 1°·9 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 22, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending March 22, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	836	641	147	60·1	29·0	42·7	0·71
GLASGOW, . . .	6,111	530,208	86·763	8·02	388	278	70	58·5	30·5	43·0	0·38
EDINBURGH, . .	5,907	271,135	45·901	11·03	131	126	24	59·0	31·5	42·3	0·80
DUNDEE, . . .	3,408	166,027	48·717	10·71	102	67	15	52·6	30·4	41·5	0·46
ABERDEEN, . .	5,811	123,600	21·270	16·21	65	45	20	50·2	31·8	42·4	1·36
GREENOCK, . .	1,509	79,312	52·559	10·31	52	38	7	55·0	35·0	43·0	0·59
LEITH,	1,344	78,538	58·436	9·78	43	41	2	60·1	33·9	43·4	0·67
PAISLEY, . . .	3,493	63,469	18·170	17·53	40	28	7	57·2	36·0	44·0	0·51
PERTH,	4,336	33,274	7·674	26·99	15	18	2	53·5	29·0	42·0	0·91
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	852	599	115	57·0	30·2	40·8	0·69

Week ending Saturday, March 22, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 22, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week Include												
				Deaths of		Deaths from										
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	24.8	3.9	641	127	123	0	34	3	12	37	4	11	6	123	18	96
GLASGOW, .	27.3	3.7	278	58	47	0	12	2	5	15	1	3	1	57	7	40
EDINBURGH,	24.2	5.8	126	12	28	0	12	0	4	11	2	1	1	17	3	26
DUNDEE, . .	21.0	2.5	67	20	8	0	1	0	1	4	0	2	0	19	0	6
ABERDEEN, .	18.9	2.5	45	10	16	0	1	0	0	2	0	3	2	8	1	6
GREENOCK, .	24.9	3.9	38	9	4	0	0	0	1	3	0	2	1	3	4	8
LEITH, . . .	27.2	7.9	41	9	6	0	8	1	0	2	1	0	1	8	2	1
PAISLEY, . .	22.9	0.0	28	6	7	0	0	0	0	0	0	0	0	7	0	4
PERTH, . . .	28.1	1.6	18	3	7	0	0	0	1	0	0	0	0	4	1	5

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 23, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week Include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	23.4	3.3	599	123	124	0	33	2	10	31	5	4	9	123	23	78
GLASGOW, .	30.0	6.4	305	57	48	0	30	1	7	24	2	1	2	65	12	32
EDINBURGH,	17.3	1.4	89	22	27	0	0	1	1	3	0	2	3	17	3	17
DUNDEE, . .	23.2	3.2	73	17	17	0	3	0	1	4	2	0	1	16	2	11
ABERDEEN, .	17.1	0.4	40	9	10	0	0	0	0	0	0	1	2	7	1	3
GREENOCK, .	16.6	0.0	25	4	5	0	0	0	0	0	0	0	0	9	1	1
LEITH, . . .	18.4	0.0	27	7	7	0	0	0	0	0	0	0	0	2	2	4
PAISLEY, . .	23.3	1.7	28	7	6	0	0	0	1	0	1	0	0	5	2	5
PERTH, . . .	19.0	0.0	12	0	4	0	0	0	0	0	0	0	1	2	0	5

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, MARCH 29, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 29, 1890, was 24·2 per thousand of estimated population. This rate is 2·1 above that for the corresponding week of last year, but 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 17·2 per thousand; and the highest in Glasgow, viz., 28·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 139, being an increase of 16 on the number for the previous week.

The Mean Temperature was 45°·9, being 3°·2 above that for the week immediately preceding, and 0°·4 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 29, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending March 29, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	818	627	162	57·4	29·9	45·9	0·49
GLASGOW, . . .	6,111	530,208	86·763	8·02	377	285	75	56·0	31·7	45·9	0·30
EDINBURGH, . .	5,907	271,135	45·901	11·03	140	107	28	55·5	30·5	45·4	0·32
DUNDEE, . . .	3,408	166,027	48·717	10·71	96	78	14	55·4	33·1	49·2	0·90
ABERDEEN, . .	5,811	123,600	21·270	16·21	77	49	12	57·4	29·9	45·2	0·08
GREENOCK, . .	1,509	79,312	52·559	10·31	32	36	6	55·0	34·7	45·2	0·47
LEITH,	1,344	78,538	58·436	9·78	39	39	11	56·1	34·0	46·0	0·37
PAISLEY, . . .	3,493	63,469	18·170	17·53	43	22	12	56·2	32·0	46·2	0·32
PERTH,	4,336	33,274	7·674	26·99	14	11	4	56·0	30·5	44·4	1·18
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	855	565	155	66·2	26·0	45·5	0·23

Week ending Saturday, March 29, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 29, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	24.2	3.2	627	127	128	0	31	6	5	26	4	11	2	139	19	89	48	2	
GLASGOW, .	28.0	4.1	285	63	32	0	16	2	3	15	1	5	1	62	13	49	23	1	
EDINBURGH,	20.5	3.8	107	22	25	0	10	0	2	5	0	3	0	24	1	10	16	0	
DUNDEE, . .	24.4	2.2	78	18	25	0	2	1	0	2	0	2	0	16	2	12	3	0	
ABERDEEN, .	20.6	4.2	49	9	20	0	3	0	0	4	2	1	1	9	2	6	0	0	
GREENOCK, .	23.6	0.7	36	5	8	0	0	1	0	0	0	0	0	9	1	3	2	1	
LEITH, . . .	25.8	1.3	39	4	6	0	0	1	0	0	1	0	0	11	0	3	2	0	
PAISLEY, . .	18.0	0.8	22	5	8	0	0	1	0	0	0	0	0	4	0	4	2	0	
PERTH, . . .	17.2	0.0	11	1	4	0	0	0	0	0	0	0	0	4	0	2	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 30, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Lamytis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	22.1	3.6	565	130	94	0	36	1	4	37	7	7	5	132	19	60	70	1	
GLASGOW, .	29.6	7.1	301	69	38	0	34	1	3	29	4	1	1	70	9	27	37	1	
EDINBURGH,	14.0	1.2	72	19	12	0	0	0	1	2	0	3	2	12	3	13	22	0	
DUNDEE, . .	21.7	1.6	68	19	11	0	1	0	0	3	1	0	0	22	2	8	2	0	
ABERDEEN, .	21.0	1.7	49	8	16	0	1	0	0	1	0	2	2	7	3	6	2	0	
GREENOCK, .	18.6	2.0	28	7	2	0	0	0	0	2	1	0	0	7	2	3	6	0	
LEITH, . . .	17.0	0.0	25	6	7	0	0	0	0	0	0	0	0	7	0	0	0	0	
PAISLEY, . .	15.0	1.7	18	2	7	0	0	0	0	0	1	1	0	6	0	3	1	0	
PERTH, . . .	6.3	0.0	4	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES.

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 14.

WEEK ENDING SATURDAY, APRIL 5, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 5, 1890, was 24·1 per thousand of estimated population. This rate is 2·3 above that for the corresponding week of last year, but 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 18·4 per thousand; and the highest in Glasgow, viz., 27·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·1 per thousand, being 0·9 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 125, being 14 below the number for last week.

The Mean Temperature was 46°·2, being 0°·3 above that for the week immediately preceding, and 5°·9 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 5, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending April 5, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	852	624	194	65·0	30·0	46·2	0·12
GLASGOW, . . .	6,111	530,208	86·763	8·02	367	275	89	61·4	30·0	45·5	0·20
EDINBURGH, . .	5,907	271,135	45·901	11·03	145	122	33	62·3	30·6	46·2	0·00
DUNDEE, . . .	3,408	166,027	48·717	10·71	95	69	13	62·8	33·0	46·2	0·11
ABERDEEN, . .	5,811	123,600	21·270	16·21	69	59	11	60·1	35·6	46·7	0·02
GREENOCK, . .	1,509	79,312	52·559	10·31	54	28	10	58·2	34·5	45·8	0·20
LEITH,	1,344	78,538	58·436	9·78	51	32	18	60·4	35·0	47·0	0·00
PAISLEY, . . .	3,493	63,469	18·170	17·53	54	25	16	65·0	31·3	46·7	0·28
PERTH,	4,336	33,274	7·674	26·99	17	14	4	62·2	30·0	45·2	0·13
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	841	558	189	55·8	31·0	40·3	0·96

Week ending Saturday, April 5, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, April 5, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	24.1	4.1	624	114	111	0	47	3	6	33	9	7	5	125	18	84
GLASGOW, .	27.0	4.4	275	48	37	0	22	1	1	14	5	2	1	61	6	34
EDINBURGH,	23.4	5.8	122	21	29	0	14	0	3	10	1	2	1	19	6	21
DUNDEE, . .	21.6	2.8	69	13	15	0	6	0	0	1	1	1	0	12	1	7
ABERDEEN, .	24.8	2.1	59	11	17	0	1	0	0	4	0	0	3	9	2	6
GREENOCK, .	18.4	0.7	28	6	2	0	0	0	0	1	0	0	0	4	2	2
LEITH, . . .	21.2	7.8	32	7	4	0	4	2	1	2	0	0	0	12	1	3
PAISLEY, . .	20.5	2.5	25	4	5	0	0	0	0	0	2	1	0	6	0	8
PERTH, . . .	21.9	4.7	14	4	2	0	0	0	1	1	0	1	0	2	0	3

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, April 6, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include												
				Deaths of		Deaths from										
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.
In Eight Towns,	21.8	3.5	558	112	105	0	31	1	8	41	3	6	8	116	16	91
GLASGOW, .	28.8	6.8	293	61	48	0	28	1	6	29	1	4	4	60	6	39
EDINBURGH,	17.7	1.2	91	17	26	0	0	0	0	5	1	0	1	15	3	18
DUNDEE, . .	19.1	2.2	60	10	11	0	1	0	2	4	0	0	2	15	2	5
ABERDEEN, .	15.4	1.7	36	7	7	0	1	0	0	1	0	2	1	14	0	13
GREENOCK, .	7.3	0.0	11	2	0	0	0	0	0	0	0	0	0	0	1	1
LEITH, . . .	18.4	0.7	27	5	5	0	1	0	0	0	0	0	0	5	3	3
PAISLEY, . .	22.4	1.7	27	7	3	0	0	0	0	2	0	0	0	6	0	8
PERTH, . . .	20.6	1.6	13	3	5	0	0	0	0	0	1	0	0	1	1	4

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 15. WEEK ENDING SATURDAY, APRIL 12, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 12, 1890, was 22·8 per thousand of estimated population. This rate is 0·2 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·9 per thousand; and the highest in Glasgow, viz., 28·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, or 0·4 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 120, being 5 less than for last week.

The Mean Temperature was 42°·6, being 3°·6 below that for the week immediately preceding, but 2°·7 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 12, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending April 12, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	839	591	236	59·0	29·9	42·6	0·22
GLASGOW, . . .	6,111	530,208	86·763	8·02	361	287	103	54·8	30·1	43·1	0·28
EDINBURGH, . .	5,907	271,135	45·901	11·03	136	117	39	55·0	29·9	41·8	0·05
DUNDEE, . . .	3,408	166,027	48·717	10·71	92	59	31	56·1	30·7	41·8	0·02
ABERDEEN, . .	5,811	123,600	21·270	16·21	66	46	16	57·1	30·0	41·1	0·45
GREENOCK, . .	1,509	79,312	52·559	10·31	67	25	13	55·2	31·0	42·9	0·49
LEITH,	1,344	78,538	58·436	9·78	54	18	9	55·9	34·0	43·0	0·12
PAISLEY, . . .	3,493	63,469	18·170	17·53	53	27	11	54·5	32·8	44·3	0·38
PERTH,	4,336	33,274	7·674	26·99	10	12	4	59·0	30·0	42·9	0·00
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	863	588	145	50·9	33·0	39·9	0·62

Week ending Saturday, April 12, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 12, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.8	3.7	591	126	88	0	41	3	8	33	5	6	6	120	31	86	75	5
GLASGOW, .	28.1	5.2	287	65	34	0	24	0	3	20	2	4	1	70	16	38	49	5
EDINBURGH,	22.4	2.7	117	22	15	0	7	2	1	3	0	1	2	22	10	24	19	0
DUNDEE, . .	18.5	2.5	59	13	11	0	6	0	1	1	0	0	1	11	3	6	1	0
ABERDEEN, .	19.4	1.9	46	12	11	0	4	0	0	6	1	0	1	5	0	7	0	0
GREENOCK, .	16.4	2.6	25	5	1	0	0	1	1	2	0	0	0	2	0	1	4	0
LEITH, . . .	11.9	2.0	18	4	3	0	0	0	1	1	1	0	0	3	0	2	0	0
PAISLEY, . .	22.1	2.5	27	3	9	0	0	0	1	0	1	1	1	7	1	8	1	0
PERTH, . . .	18.8	0.0	12	2	4	0	0	0	0	0	0	0	0	0	1	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 13, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23.0	3.4	588	122	116	0	27	2	7	44	1	6	3	119	18	81	65	2
GLASGOW, .	28.9	5.9	294	64	40	0	23	1	3	30	0	3	1	50	11	41	30	2
EDINBURGH,	14.8	0.6	76	13	21	0	0	0	1	2	0	0	1	19	3	15	16	0
DUNDEE, . .	18.8	4.5	59	11	9	0	2	0	1	9	0	2	0	14	1	3	5	0
ABERDEEN, .	20.1	1.3	47	10	10	0	0	0	0	2	1	0	1	8	1	7	1	0
GREENOCK, .	21.3	3.3	32	10	9	0	2	0	1	1	0	1	0	8	1	3	6	0
LEITH, . . .	21.8	0.7	32	7	11	0	0	1	0	0	0	0	0	5	0	5	4	0
PAISLEY, . .	26.6	0.8	32	7	9	0	0	0	1	0	0	0	0	12	0	1	3	0
PERTH, . . .	25.3	0.0	16	0	7	0	0	0	0	0	0	0	0	3	1	6	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 16. WEEK ENDING SATURDAY, APRIL 19, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 19, 1890, was 26·0 per thousand of estimated population. This rate is 2·3 above that for the corresponding week of last year, and 3·2 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 16·4 per thousand; and the highest in Glasgow, viz., 29·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·9 per thousand, being 0·2 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 145, being 25 above the number for the previous week.

The Mean Temperature was 41°·8, being 0°·8 below that for the week immediately preceding, and 5°·4 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 19, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Popula- tion estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending April 19, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	924	674	197	55·8	25·0	41·8	0·13
GLASGOW, . . .	6,111	530,208	86·763	8·02	448	304	83	52·7	28·8	42·5	0·07
EDINBURGH, . .	5,907	271,135	45·901	11·03	152	125	39	52·4	27·8	40·4	0·05
DUNDEE, . . .	3,408	166,027	48·717	10·71	97	82	42	48·9	28·6	41·5	0·27
ABERDEEN, . .	5,811	123,600	21·270	16·21	79	61	9	51·0	27·3	41·5	0·18
GREENOCK, . .	1,509	79,312	52·559	10·31	63	25	4	51·0	32·0	42·3	0·00
LEITH,	1,344	78,538	58·436	9·78	39	34	10	52·5	30·9	41·4	0·07
PAISLEY, . . .	3,493	63,469	18·170	17·53	33	26	5	55·8	31·6	44·0	0·01
PERTH,	4,336	33,274	7·674	26·99	13	17	5	50·5	25·0	40·7	0·42
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	806	607	132	66·0	29·5	47·2	0·35

Week ending Saturday, April 19, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 19, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	26.0	3.9	674	125	134	0	41	6	5	31	5	13	9	145	20	99	65
GLASGOW, .	29.8	4.4	304	62	48	0	21	3	0	13	2	6	3	67	6	38	36
EDINBURGH,	24.0	3.6	125	22	35	0	8	1	1	6	0	3	2	34	4	25	22
DUNDEE, . .	25.7	2.2	82	16	13	0	4	0	1	1	0	1	0	16	6	8	3
ABERDEEN, .	25.7	5.9	61	8	14	0	4	0	1	7	0	2	2	10	1	11	0
GREENOCK, .	16.4	1.3	25	4	6	0	0	0	1	1	0	0	0	4	1	6	0
LEITH, . . .	22.5	6.0	34	8	4	0	4	2	0	3	0	0	1	9	1	3	1
PAISLEY, . .	21.3	2.5	26	2	8	0	0	0	1	0	2	0	1	4	1	5	2
PERTH, . . .	26.6	3.1	17	3	6	0	0	0	0	0	1	1	0	1	0	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 20, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.7	4.2	607	132	108	0	34	4	6	50	5	8	10	130	14	82	75
GLASGOW, .	29.4	7.5	299	60	33	0	23	3	3	39	3	5	4	65	7	29	35
EDINBURGH,	20.1	1.6	103	19	32	0	0	1	2	4	0	1	2	14	2	21	24
DUNDEE, . .	20.4	2.5	64	18	13	0	1	0	1	5	1	0	2	21	2	9	3
ABERDEEN, .	21.4	2.6	50	13	13	0	5	0	0	0	0	1	1	10	0	10	2
GREENOCK, .	14.0	2.7	21	4	2	0	3	0	0	1	0	0	0	5	1	2	3
LEITH, . . .	16.3	1.4	24	5	6	0	1	0	0	0	1	0	0	4	0	3	2
PAISLEY, . .	29.9	2.5	36	10	6	0	1	0	0	1	0	1	1	9	2	7	5
PERTH, . . .	15.8	0.0	10	3	3	0	0	0	0	0	0	0	0	2	0	1	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 26, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 26, 1890, was 24·2 per thousand of estimated population. This rate is 2·5 above that for the corresponding week of last year, but 1·8 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·6 per thousand; and the highest in Glasgow, viz., 29·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 0·6 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 152, being 7 above the number for last week.

The Mean Temperature was 45°·8, being 4°·0 above that for the week immediately preceding, and 1°·0 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 26, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending April 26, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	865	627	189	59·3	27·0	45·8	0·61
GLASGOW, . . .	6,111	530,208	86·763	8·02	394	301	97	58·9	34·8	46·5	0·94
EDINBURGH, . .	5,907	271,135	45·901	11·03	126	103	21	58·5	30·5	46·4	0·46
DUNDEE, . . .	3,408	166,027	48·717	10·71	96	75	21	57·1	30·9	45·9	0·25
ABERDEEN, . .	5,811	123,600	21·270	16·21	81	56	9	58·3	31·8	45·4	0·50
GREENOCK, . .	1,509	79,312	52·559	10·31	65	29	13	52·7	36·2	44·9	1·08
LEITH,	1,344	78,538	58·436	9·78	35	29	11	59·3	32·4	46·4	0·60
PAISLEY, . . .	3,493	63,469	18·170	17·53	47	24	13	59·0	36·9	47·2	0·67
PERTH,	4,336	33,274	7·674	26·99	21	10	4	57·5	27·0	44·1	0·34
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	371	554	241	58·2	31·5	44·8	0·62

Week ending Saturday, April 26, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 26, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24.2	3.3	627	133	130	0	31	2	2	34	6	11	4	152	16	86	51	0
GLASGOW, .	29.5	3.8	301	66	48	0	14	0	1	16	3	5	4	83	8	33	33	0
EDINBURGH,	19.8	2.5	103	17	30	0	3	1	0	6	3	0	0	26	3	23	8	0
DUNDEE, . .	23.5	4.7	75	19	13	0	8	0	0	5	0	2	0	18	2	10	2	0
ABERDEEN, .	23.6	4.6	56	16	22	0	4	0	0	5	0	2	0	11	2	9	0	0
GREENOCK, .	19.0	0.7	29	7	4	0	0	0	0	0	0	1	0	5	0	2	4	0
LEITH, . . .	19.2	3.3	29	6	6	0	2	1	0	2	0	0	0	4	1	4	0	0
PAISLEY, . .	19.7	0.0	24	2	3	0	0	0	0	0	0	0	0	5	0	4	4	0
PERTH, . . .	15.6	3.1	10	0	4	0	0	0	1	0	0	1	0	0	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 27, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphther a.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified causes.
In Eight Towns,	21.7	4.2	554	114	95	0	43	5	4	41	4	11	4	100	27	89	65	5
GLASGOW, .	28.3	8.5	287	58	37	0	40	4	2	32	2	6	2	54	13	46	32	2
EDINBURGH,	12.9	0.6	66	18	15	0	0	0	0	2	1	0	0	12	6	14	16	0
DUNDEE, . .	21.3	2.9	67	12	10	0	1	0	1	4	0	3	0	11	3	10	6	0
ABERDEEN, .	21.4	1.3	50	13	9	0	0	0	0	2	0	1	2	12	2	8	4	2
GREENOCK, .	13.3	2.0	20	1	7	0	2	0	1	0	0	0	0	0	2	2	5	0
LEITH, . . .	15.7	2.0	23	3	7	0	0	1	0	1	1	0	0	6	0	4	0	0
PAISLEY, . .	19.1	0.0	23	6	4	0	0	0	0	0	0	0	0	4	1	3	2	0
PERTH, . . .	28.5	1.6	18	3	6	0	0	0	0	0	0	1	0	1	0	2	0	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 3, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 3, 1890, was 26·9 per thousand of estimated population. This rate is 4·6 above that for the corresponding week of last year, and 2·7 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 17·0 per thousand; and the highest in Glasgow, viz., 33·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·0 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 152, exactly the same as for the previous week.

The Mean Temperature was 48°·7, being 2°·9 above that for the week immediately preceding, and 0°·5 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 3, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending May 3, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	893	697	347	68·3	30·5	48·7	0·23
GLASGOW, . . .	6,111	530,208	86·763	8·02	417	337	132	66·4	31·0	49·6	0·08
EDINBURGH, . .	5,907	271,135	45·901	11·03	130	110	55	63·5	35·5	49·4	0·21
DUNDEE, . . .	3,408	166,027	48·717	10·71	109	91	27	61·0	33·2	47·7	0·80
ABERDEEN, . .	5,811	123,600	21·270	16·21	73	55	18	58·0	36·9	46·3	0·32
GREENOCK, . .	1,509	79,312	52·559	10·31	48	26	18	64·2	36·0	49·2	0·13
LEITH,	1,344	78,538	58·436	9·78	41	33	16	62·9	35·3	49·5	0·09
PAISLEY, . . .	3,493	63,469	18·170	17·53	54	33	25	68·3	33·2	51·0	0·08
PERTH,	4,336	33,274	7·674	26·99	21	12	6	62·0	30·5	47·2	0·15
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	1005	570	321	67·3	35·0	48·2	1·00

Week ending Saturday, May 3, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 3, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	26.9	4.0	697	151	125	0	41	8	8	37	3	7	7	152	26	98	63	6
GLASGOW, .	33.0	5.5	337	71	48	0	21	5	2	22	3	3	1	83	9	39	34	6
EDINBURGH,	21.1	2.7	110	24	28	0	6	1	0	5	0	2	1	18	5	19	20	0
DUNDEE, . .	28.5	4.4	91	25	15	0	10	0	1	3	0	0	1	12	4	5	4	0
ABERDEEN, .	23.1	2.5	55	10	14	0	2	0	0	4	0	0	1	12	3	15	0	0
GREENOCK, .	17.0	2.6	26	4	4	0	1	0	2	1	0	0	0	5	3	4	2	0
LEITH, . . .	21.9	2.0	33	12	7	0	1	0	2	0	0	0	2	13	1	6	2	0
PAISLEY, . .	27.0	4.1	33	3	7	0	0	2	0	1	0	2	1	9	1	8	0	0
PERTH, . . .	18.8	3.1	12	2	2	0	0	0	1	1	0	0	0	0	0	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 4, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.3	4.1	570	121	115	0	33	0	6	47	2	16	5	105	9	92	58	2
GLASGOW, .	28.6	7.2	290	62	48	0	26	0	1	36	2	8	3	53	4	42	31	2
EDINBURGH,	17.5	1.4	90	17	20	0	0	0	3	2	0	2	1	15	2	24	16	0
DUNDEE, . .	19.7	2.5	62	14	17	0	1	0	0	4	0	3	0	12	0	9	2	0
ABERDEEN, .	17.1	3.0	40	12	13	0	4	0	0	1	0	2	0	7	3	5	3	0
GREENOCK, .	15.3	2.0	23	5	5	0	1	0	1	1	0	0	1	5	0	1	4	0
LEITH, . . .	11.6	0.7	17	4	2	0	0	0	0	1	0	0	0	4	0	2	1	0
PAISLEY, . .	29.9	4.2	36	6	7	0	1	0	1	2	0	1	0	8	0	6	1	0
PERTH, . . .	19.0	0.0	12	1	3	0	0	0	0	0	0	0	0	1	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 10, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 10, 1890, was 24·2 per thousand of estimated population. This rate is 3·0 above that for the corresponding week of last year, and 2·7 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 14·1 per thousand; and the highest in Glasgow, viz., 27·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·6 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 123, being 29 below the number for the previous week.

The Mean Temperature was 49°·9, being 1°·2 above that for the week immediately preceding, and 1°·3 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 10, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending May 10, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	912	625	100	67·5	33·5	49·9	0·40
GLASGOW, . . .	6,111	530,208	86·763	8·02	420	278	43	63·1	40·9	51·9	0·55
EDINBURGH, . .	5,907	271,135	45·901	11·03	158	99	22	56·5	38·0	47·1	0·38
DUNDEE, . . .	3,408	166,027	48·717	10·71	98	84	7	62·5	37·2	49·1	0·33
ABERDEEN, . .	5,811	123,600	21·270	16·21	77	61	12	59·1	41·0	48·7	0·22
GREENOCK, . .	1,509	79,312	52·559	10·31	43	31	10	64·0	42·0	52·1	0·51
LEITH,	1,344	78,538	58·436	9·78	45	38	2	53·7	41·1	47·4	0·44
PAISLEY, . . .	3,493	63,469	18·170	17·53	58	25	3	67·5	41·0	52·7	0·45
PERTH,	4,336	33,274	7·674	26·99	13	9	1	63·5	33·5	50·0	0·31
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	901	541	101	67·3	40·8	51·2	0·58

Week ending Saturday, May 10, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 10, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	24.2	4.6	625	139	112	1	46	8	4	42	6	12	6	123	16	89	55	1		
GLASGOW, .	27.3	5.3	278	65	48	*1	22	5	2	16	4	4	3	61	7	35	30	1		
EDINBURGH,	19.0	2.5	99	21	23	0	4	1	0	5	1	2	0	22	2	26	12	0		
DUNDEE, . .	26.3	6.6	84	21	10	0	10	1	1	4	0	5	2	14	1	5	5	0		
ABERDEEN, .	25.7	6.7	61	11	17	0	6	0	0	9	0	1	1	6	1	9	1	0		
GREENOCK, .	20.3	1.3	31	5	6	0	0	0	0	2	0	0	0	5	2	2	3	0		
LEITH, . . .	25.2	6.6	38	10	3	0	4	1	0	4	1	0	0	5	1	4	2	0		
PAISLEY, . .	20.5	1.6	25	6	3	0	0	0	1	1	0	0	0	8	1	6	2	0		
PERTH, . . .	14.1	1.6	9	0	2	0	0	0	0	1	0	0	0	2	1	2	0	0		

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 11, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of			Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	21.2	3.0	541	94	93	0	22	5	6	36	5	3	3	83	23	80	56	3	
GLASGOW, .	24.9	4.4	253	52	27	0	14	4	3	23	1	0	2	46	9	34	24	2	
EDINBURGH,	17.5	1.8	90	11	23	0	0	0	2	4	3	0	0	11	6	20	19	1	
DUNDEE, . .	21.0	3.8	66	12	12	0	1	1	0	8	0	2	1	7	2	5	5	0	
ABERDEEN, .	17.1	2.6	40	10	9	0	5	0	0	0	0	1	0	4	1	7	1	0	
GREENOCK, .	13.3	0.7	20	4	4	0	1	0	0	0	0	0	0	3	2	3	3	0	
LEITH, . . .	12.3	0.0	18	0	3	0	0	0	0	0	0	0	0	3	2	1	0	0	
PAISLEY, . .	30.8	1.7	37	3	8	0	1	0	0	1	0	0	0	6	0	6	3	0	
PERTH, . . .	26.9	3.2	17	2	7	0	0	0	1	0	1	0	0	3	1	4	1	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 20. WEEK ENDING SATURDAY, MAY 17, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 17, 1890, was 20·6 per thousand of estimated population. This rate is 0·9 below that for the corresponding week of last year, and 3·6 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 14·1 per thousand; and the highest in Glasgow, viz., 23·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 1·7 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 104, being 19 below the number for last week.

The Mean Temperature was 51°·0, being 0°·1 above that for the week immediately preceding, and 0°·2 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 17, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending May 17, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	863	534	76	63·8	40·3	51·0	1·49
GLASGOW, . . .	6,111	530,208	86·763	8·02	367	241	39	61·3	42·2	52·2	1·72
EDINBURGH, . .	5,907	271,135	45·901	11·03	152	83	12	63·8	41·5	51·1	1·14
DUNDEE, . . .	3,408	166,027	48·717	10·71	113	67	14	62·4	41·5	50·4	1·09
ABERDEEN, . .	5,811	123,600	21·270	16·21	71	54	2	61·1	41·4	50·2	2·06
GREENOCK, . .	1,509	79,312	52·559	10·31	37	30	3	59·5	42·2	50·4	2·05
LEITH,	1,344	78,538	58·436	9·78	50	26	2	63·4	40·3	51·7	1·10
PAISLEY, . . .	3,493	63,469	18·170	17·53	56	24	3	61·3	42·9	51·8	1·61
PERTH,	4,336	33,274	7·674	26·99	17	9	1	62·5	41·0	49·9	1·13
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	948	550	88	69·0	40·8	51·2	0·63

Week ending Saturday, May 17, 1890.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, May 17, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20.6	2.9	534	96	102	0	32	6	5	23	1	9	4	104	26	70	45	1
GLASGOW, .	23.6	3.5	241	44	36	0	20	2	1	8	1	4	0	60	11	27	20	1
EDINBURGH,	15.9	2.5	83	12	19	0	4	1	1	4	0	3	2	10	2	18	12	0
DUNDEE, . .	21.0	2.8	67	15	9	0	5	0	1	1	0	2	0	10	5	5	3	0
ABERDEEN, .	22.7	3.4	54	13	17	0	2	0	0	6	0	0	1	3	2	4	1	0
GREENOCK, .	19.7	1.3	30	3	7	0	0	0	1	1	0	0	0	6	3	9	7	0
LEITH, . . .	17.2	4.0	26	6	4	0	1	3	0	2	0	0	0	4	1	2	2	0
PAISLEY, . .	19.7	0.8	24	2	7	0	0	0	1	0	0	0	1	10	2	3	0	0
PERTH, . . .	14.1	1.6	9	1	3	0	0	0	0	1	0	0	0	1	0	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, May 18, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21.5	3.7	550	117	101	0	24	6	8	37	4	15	4	90	15	74	57	1
GLASGOW, .	24.9	5.7	253	48	32	0	15	4	3	23	3	10	2	43	7	34	27	1
EDINBURGH,	17.1	1.8	88	17	18	0	0	0	2	5	0	2	1	17	2	19	14	0
DUNDEE, . .	20.1	2.9	63	16	15	0	0	1	2	5	0	1	1	13	3	8	6	0
ABERDEEN, .	26.5	4.7	62	16	16	0	8	0	0	1	0	2	0	7	0	5	1	0
GREENOCK, .	15.9	0.7	24	6	6	0	0	0	1	0	0	0	0	4	0	1	4	0
LEITH, . . .	17.0	2.0	25	7	7	0	0	1	0	1	1	0	0	1	2	1	3	0
PAISLEY, . .	17.5	2.5	21	4	3	0	1	0	0	2	0	0	0	2	1	2	2	0
PERTH, . . .	22.2	0.0	14	3	4	0	0	0	0	0	0	0	0	3	0	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 21. WEEK ENDING SATURDAY, MAY 24, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 24, 1890, was 22·4 per thousand of estimated population. This rate is 0·1 above that for the corresponding week of last year, and 1·8 above that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 17·6 per thousand; and the highest in Dundee, viz., 27·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·6 per thousand, being 1·7 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 117, being 13 above the number for last week.

The Mean Temperature was 55°·0, being 4°·0 above that for the week immediately preceding, but 1°·8 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 24, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending May 24, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	856	580	90	74·3	40·9	55·0	0·31
GLASGOW, . . .	6,111	530,208	86·763	8·02	386	245	40	74·3	46·0	56·5	0·37
EDINBURGH, . .	5,907	271,135	45·901	11·03	143	92	7	—	—	—	—
DUNDEE, . . .	3,408	166,027	48·717	10·71	95	87	16	69·4	43·7	53·9	0·17
ABERDEEN, . .	5,811	123,600	21·270	16·21	75	57	10	72·1	45·1	54·4	0·78
GREENOCK, . .	1,509	79,312	52·559	10·31	50	31	4	70·0	46·0	54·9	0·32
LEITH,	1,344	78,538	58·436	9·78	57	29	7	63·1	46·9	54·0	0·07
PAISLEY, . . .	3,493	63,469	18·170	17·53	35	25	2	74·2	47·0	57·2	0·38
PERTH,	4,336	33,274	7·674	26·99	15	14	4	71·5	40·9	54·2	0·08
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	834	571	85	76·2	41·2	56·8	0·03

Week ending Saturday, May 24, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 24, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.4	4.6	580	128	95	0	50	3	8	42	2	13	3	117	22	86	43	1
GLASGOW, .	24.0	5.0	245	52	36	0	18	1	2	19	1	10	1	57	9	32	25	1
EDINBURGH,	17.6	3.6	92	23	12	0	8	2	0	7	1	1	0	12	3	22	9	0
DUNDEE, . .	27.2	8.4	87	23	11	0	20	0	2	3	0	2	0	17	5	7	1	0
ABERDEEN, .	24.0	5.5	57	13	12	0	2	0	3	8	0	0	0	7	3	8	0	0
GREENOCK, .	20.3	0.7	31	4	5	0	1	0	0	0	0	0	0	11	2	3	5	0
LEITH, . . .	19.2	3.3	29	8	6	0	1	0	0	4	0	0	0	7	0	6	2	0
PAISLEY, . .	20.5	0.0	25	2	8	0	0	0	0	0	0	0	1	5	0	6	1	0
PERTH, . . .	21.9	3.1	14	3	5	0	0	0	1	1	0	0	1	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 25, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.3	4.6	571	142	88	0	34	8	8	53	4	10	6	101	17	63	61	3
GLASGOW, .	28.6	7.8	290	77	38	0	21	6	5	43	1	3	4	55	7	28	28	2
EDINBURGH,	16.6	1.4	85	24	14	0	1	0	0	4	1	1	0	10	4	17	20	1
DUNDEE, . .	15.9	3.2	50	12	5	0	2	1	0	3	0	4	1	8	1	4	4	0
ABERDEEN, .	23.1	4.7	54	7	16	0	7	0	0	2	1	1	0	12	0	5	2	0
GREENOCK, .	21.9	2.7	33	5	3	0	2	1	0	1	0	0	0	2	4	4	5	0
LEITH, . . .	18.4	2.7	27	11	4	0	1	0	3	0	0	0	0	4	0	1	2	0
PAISLEY, . .	16.6	0.8	20	4	5	0	0	0	0	0	1	0	1	5	0	1	0	0
PERTH, . . .	19.0	1.6	12	2	3	0	0	0	0	0	0	1	0	5	1	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, MAY 31, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 31, 1890, was 23·3 per thousand of estimated population. This rate is 2·0 above that for the corresponding week of last year, and 0·9 above that for the previous week of the present year.

The lowest mortality was recorded equally in Greenock, and in Paisley, viz., 13·1 per thousand; and the highest in Glasgow, viz., 28·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·4 per thousand, being 0·2 under that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 97, being 20 under the number for the previous week.

The Mean Temperature was 50°·2, being 4°·8 below that for the week immediately preceding, and 3°·3 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 31, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending May 31, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	864	603	105	70·0	36·0	50·2	0·32
GLASGOW, . . .	6,111	530,208	86·763	8·02	380	290	38	64·4	36·3	50·6	0·31
EDINBURGH, . .	5,907	271,135	45·901	11·03	150	102	23	67·5	36·0	49·1	0·31
DUNDEE, . . .	3,408	166,027	48·717	10·71	99	70	11	61·0	37·5	49·1	0·53
ABERDEEN, . .	5,811	123,600	21·270	16·21	71	66	21	57·1	38·0	48·7	0·23
GREENOCK, . .	1,509	79,312	52·559	10·31	54	20	7	70·0	37·0	51·7	0·39
LEITH,	1,344	78,538	58·436	9·78	52	27	2	68·2	38·1	49·9	0·20
PAISLEY, . . .	3,493	63,469	18·170	17·53	41	16	2	68·1	37·9	52·2	0·20
PERTH,	4,336	33,274	7·674	26·99	17	12	1	68·5	37·0	50·2	0·40
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	907	545	96	69·3	39·5	53·5	0·84

Week ending Saturday, May 31, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 31, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.3	4.4	603	134	75	0	48	5	7	34	5	15	5	97	26	88	55
GLASGOW, .	28.4	5.5	290	62	23	0	29	1	4	13	3	6	2	49	13	45	20
EDINBURGH,	19.6	2.5	102	23	18	0	1	0	1	9	2	0	0	16	6	19	26
DUNDEE, . .	21.9	7.5	70	18	6	0	17	0	1	2	0	4	0	11	0	7	2
ABERDEEN, .	27.8	5.0	66	14	18	0	1	1	1	7	0	2	1	10	4	6	0
GREENOCK, .	13.1	0.0	20	5	3	0	0	0	0	0	0	0	1	3	1	1	4
LEITH, . . .	17.9	3.3	27	7	2	0	0	2	0	1	0	2	0	7	0	3	1
PAISLEY, . .	13.1	1.6	16	2	2	0	0	1	0	0	0	1	0	1	1	5	2
PERTH, . . .	18.7	3.1	12	3	3	0	0	0	0	2	0	0	1	0	1	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 1, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21.3	3.3	545	103	106	0	20	3	10	33	4	15	1	88	15	86	44
GLASGOW, .	25.4	4.7	258	48	35	0	12	2	5	22	1	6	1	45	6	38	18
EDINBURGH,	14.8	1.9	76	16	18	0	1	1	0	4	2	2	0	11	2	17	18
DUNDEE, . .	21.0	3.5	66	12	20	0	0	0	2	5	0	4	0	8	3	5	2
ABERDEEN, .	22.7	3.0	53	9	16	0	5	0	0	0	0	2	0	7	2	10	1
GREENOCK, .	17.9	2.0	27	2	6	0	1	0	2	0	0	0	0	5	0	4	2
LEITH, . . .	17.0	2.0	25	4	3	0	0	0	1	0	1	1	0	6	1	5	1
PAISLEY, . .	24.1	1.7	29	8	5	0	0	0	0	2	0	0	0	4	1	5	1
PERTH, . . .	17.4	1.6	11	4	3	0	1	0	0	0	0	0	0	2	0	2	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 23.

WEEK ENDING SATURDAY, JUNE 7, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 7, 1890, was 22·0 per thousand of estimated population. This rate is 2·6 above that for the corresponding week of last year, but 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 9·8 per thousand; and the highest in Glasgow, viz., 27·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being 0·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 97, exactly the same number as for last week.

The Mean Temperature was 54°·5, being 4°·3 above that for the week immediately preceding, but 2°·4 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 7, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending June 7, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	848	568	289	69·6	37·0	54·5	0·86
GLASGOW, . . .	6,111	530,208	86·763	8·02	369	278	133	65·1	39·2	53·9	0·57
EDINBURGH, . .	5,907	271,135	45·901	11·03	156	88	41	67·1	39·8	55·3	0·30
DUNDEE, . . .	3,408	166,027	48·717	10·71	88	85	25	66·3	39·1	55·0	0·85
ABERDEEN, . .	5,811	123,600	21·270	16·21	83	35	39	69·6	38·0	53·8	0·59
GREENOCK, . .	1,509	79,312	52·559	10·31	47	15	11	63·2	37·0	53·5	2·35
LEITH,	1,344	78,538	58·436	9·78	43	32	19	67·0	42·3	55·7	0·53
PAISLEY, . . .	3,493	63,469	18·170	17·53	40	23	14	64·6	40·1	53·7	0·90
PERTH,	4,336	33,274	7·674	26·99	22	12	7	67·0	37·0	55·0	0·82
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	910	497	289	72·1	41·5	56·9	0·88

Week ending Saturday, June 7, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 7, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	22.0	3.7	568	101	110	0	35	6	6	31	6	13	8	97	15	79	55
GLASGOW, .	27.3	5.2	278	50	44	0	26	4	0	16	0	7	3	51	11	39	30
EDINBURGH,	16.9	1.5	88	13	26	0	1	0	1	3	1	2	0	12	2	10	16
DUNDEE, . .	26.6	4.1	85	21	16	0	7	0	1	2	1	2	3	18	0	13	3
ABERDEEN, .	14.7	3.8	35	6	10	0	0	0	1	7	0	1	1	5	1	5	1
GREENOCK, .	9.8	2.6	15	2	2	0	0	0	1	2	0	1	0	3	1	1	3
LEITH, . . .	21.2	2.6	32	8	3	0	1	2	0	1	0	0	0	3	0	3	2
PAISLEY, . .	18.8	3.3	23	1	6	0	0	0	2	0	2	0	0	3	0	3	0
PERTH, . . .	18.7	3.1	12	0	3	0	0	0	0	0	2	0	1	2	0	5	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 8, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.4	3.0	497	107	91	0	23	5	2	29	1	16	6	87	20	79	48
GLASGOW, .	23.4	4.2	238	49	34	0	16	3	1	16	1	6	2	41	8	48	21
EDINBURGH,	15.0	1.0	77	16	20	0	0	0	0	2	0	3	2	16	7	12	17
DUNDEE, . .	16.2	3.2	51	10	11	0	0	1	0	6	0	3	0	12	1	2	2
ABERDEEN, .	21.0	4.7	49	13	8	0	7	0	1	0	0	3	1	5	0	6	1
GREENOCK, .	13.3	1.3	20	7	3	0	0	0	0	1	0	1	1	2	3	1	5
LEITH, . . .	18.4	2.0	27	3	8	0	0	0	0	3	0	0	0	5	1	4	1
PAISLEY, . .	20.0	1.7	24	8	5	0	0	1	0	1	0	0	0	5	0	5	1
PERTH, . . .	17.4	0.0	11	1	2	0	0	0	0	0	0	0	0	1	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 14, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 14, 1890, was 19·9 per thousand of estimated population. This rate is 0·6 below that for the corresponding week of last year, and 2·1 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·9 per thousand; and the highest in Glasgow, viz., 25·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being 0·1 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 93, being 4 below the number for last week.

The Mean Temperature was 54°·7, being 0°·2 above that for the week immediately preceding, and 0°·7 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 14, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Proxi- mity in Yards.	Registered during the Week ending June 14, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	853	516	500	74·8	36·5	54·7	1·10
GLASGOW, . . .	6,111	530,208	86·763	8·02	374	259	213	72·0	47·3	56·7	0·65
EDINBURGH, . .	5,907	271,135	45·901	11·03	141	88	115	70·4	36·5	54·1	1·55
DUNDEE, . . .	3,408	166,027	48·717	10·71	103	66	51	64·8	41·0	53·2	1·32
ABERDEEN, . .	5,811	123,600	21·270	16·21	84	34	37	66·4	38·8	52·2	0·36
GREENOCK, . .	1,509	79,312	52·559	10·31	43	20	20	69·0	41·0	56·1	1·24
LEITH,	1,344	78,538	58·436	9·78	48	23	22	70·0	41·6	54·1	1·34
PAISLEY, . . .	3,493	63,469	18·170	17·53	42	19	31	74·8	37·2	56·3	1·10
PERTH,	4,336	33,274	7·674	26·99	18	7	11	66·5	37·0	54·6	1·22
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	895	524	486	70·6	37·0	55·4	0·13

Week ending Saturday, June 21, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 21, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of			Deaths from										
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	22.1	3.7	572	120	120	1	41	6	4	37	2	5	4	106	11	71	62
GLASGOW, .	25.8	5.8	263	48	43	0	27	3	2	21	2	4	1	65	4	29	24
EDINBURGH,	16.9	1.5	88	14	32	0	0	1	1	5	0	1	0	9	2	18	23
DUNDEE, . .	24.7	4.4	79	22	16	0	12	0	0	2	0	0	0	12	3	9	3
ABERDEEN, .	19.8	3.4	47	10	9	0	1	1	0	6	0	0	2	7	0	8	2
GREENOCK, .	17.0	0.7	26	6	5	0	1	0	0	0	0	0	0	3	1	1	5
LEITH, . . .	22.5	2.6	34	9	6	0	0	1	1	2	0	0	0	7	0	1	2
PAISLEY, . .	20.5	0.0	25	8	3	0	0	0	0	0	0	0	1	3	1	3	3
PERTH, . . .	15.6	3.1	10	3	6	*1	0	0	0	1	0	0	0	0	0	2	0

* Chicken-Pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 22, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of			Deaths from										
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.4	3.2	496	105	97	0	21	5	6	33	0	18	4	68	18	75	56
GLASGOW, .	22.3	4.1	227	51	34	0	10	1	2	25	0	4	3	34	8	31	21
EDINBURGH,	17.9	2.1	92	11	30	0	0	2	0	5	0	4	0	12	5	19	25
DUNDEE, . .	16.9	2.5	53	10	11	0	0	0	2	1	0	5	0	8	2	7	3
ABERDEEN, .	16.3	3.9	38	13	7	0	7	0	0	0	0	2	0	2	0	8	1
GREENOCK, .	12.6	0.0	19	4	5	0	0	0	0	0	0	0	0	1	1	1	3
LEITH, . . .	24.5	6.1	36	9	5	0	4	1	2	0	0	2	1	7	1	4	1
PAISLEY, . .	18.3	1.7	22	4	4	0	0	0	0	2	0	0	0	2	0	5	1
PERTH, . . .	14.2	3.2	9	3	1	0	0	1	0	0	0	1	0	2	1	0	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 26. WEEK ENDING SATURDAY, JUNE 28, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 28, 1890, was 20·6 per thousand of estimated population. This rate is 2·2 above that for the corresponding week of last year, but 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·7 per thousand; and the highest in Glasgow, viz., 23·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·6 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 84, being 22 less than for last week.

The Mean Temperature was 55°·9, being 0°·4 below that for the week immediately preceding, and 3°·5 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 28, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending June 28, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	863	534	308	70·6	39·0	55·9	0·77
GLASGOW, . . .	6,111	530,208	86·763	8·02	368	240	144	64·7	39·2	56·1	1·18
EDINBURGH, . .	5,907	271,135	45·901	11·03	162	90	50	65·5	41·0	56·0	0·41
DUNDEE, . . .	3,408	166,027	48·717	10·71	106	59	33	70·6	43·6	56·6	0·47
ABERDEEN, . .	5,811	123,600	21·270	16·21	72	53	25	70·0	43·1	55·4	0·37
GREENOCK, . .	1,509	79,312	52·559	10·31	44	34	8	63·2	44·0	55·2	1·05
LEITH,	1,344	78,538	58·436	9·78	41	25	16	65·6	45·0	56·5	0·59
PAISLEY, . . .	3,493	63,469	18·170	17·53	55	18	24	64·8	42·5	56·3	0·74
PERTH,	4,336	33,274	7·674	26·99	15	15	8	65·0	39·0	55·1	1·38
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	873	471	280	78·5	43·7	59·4	0·00

Week ending Saturday, June 28, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 28, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.6	3.1	534	111	108	0	26	3	6	33	2	10	4	84	18	88	55	2
GLASGOW, .	23.5	4.1	240	60	31	0	16	1	2	17	0	6	1	41	6	27	19	2
EDINBURGH,	17.3	0.4	90	11	27	0	0	1	0	1	0	0	0	14	5	29	22	0
DUNDEE, . .	18.5	4.1	59	14	10	0	8	0	0	2	0	3	2	9	1	3	6	0
ABERDEEN, .	22.3	1.3	53	9	18	0	0	0	0	3	0	0	1	10	3	8	2	0
GREENOCK, .	22.3	6.6	34	8	7	0	1	0	2	5	1	1	0	0	1	4	4	0
LEITH, . . .	16.6	2.0	25	3	6	0	0	0	1	1	1	0	0	4	0	4	2	0
PAISLEY, . .	14.7	1.6	18	3	4	0	0	1	1	0	0	0	0	4	1	5	0	0
PERTH, . . .	23.4	7.8	15	3	5	0	1	0	0	4	0	0	0	2	1	8	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 29, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.4	3.1	471	95	77	0	24	5	5	24	4	17	5	66	26	74	54	3
GLASGOW, .	21.6	3.7	219	39	36	0	10	3	2	15	1	7	4	41	8	37	28	2
EDINBURGH,	14.2	1.6	73	16	10	0	0	2	1	3	0	2	1	3	5	7	14	0
DUNDEE, . .	15.0	3.5	47	7	7	0	1	0	0	6	1	3	0	4	3	10	2	0
ABERDEEN, .	19.3	4.3	45	10	10	0	8	0	1	0	1	0	0	2	4	8	3	0
GREENOCK, .	15.3	2.0	23	3	5	0	0	0	1	0	0	2	0	5	4	4	1	0
LEITH, . . .	18.4	4.1	27	12	1	0	4	0	0	0	1	1	0	5	1	2	2	0
PAISLEY, . .	20.8	1.7	25	7	5	0	0	0	0	0	0	2	0	5	0	4	3	0
PERTH, . . .	19.0	1.6	12	1	3	0	1	0	0	0	0	0	0	1	1	2	1	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 27.

WEEK ENDING SATURDAY, JULY 5, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 5, 1890, was 19·9 per thousand of estimated population. This rate is 1·4 below that for the corresponding week of last year, but 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·5 per thousand; and the highest in Glasgow, viz., 24·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·2 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 97, being an increase of 13 on the number for the previous week.

The Mean Temperature was 54°·1, being 1°·8 below that for the week immediately preceding and 5°·5 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 5, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Proxi- mity in Yards.	Registered during the Week ending July 5, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	869	514	336	67·4	42·5	54·1	0·81
GLASGOW, . . .	6,111	530,208	86·763	8·02	411	249	170	64·1	44·5	55·0	0·89
EDINBURGH, . .	5,907	271,135	45·901	11·03	143	76	73	63·8	45·0	53·1	0·90
DUNDEE, . . .	3,408	166,027	48·717	10·71	103	68	27	65·0	44·2	53·5	1·27
ABERDEEN, . .	5,811	123,600	21·270	16·21	66	45	22	59·6	43·8	52·4	0·25
GREENOCK, . .	1,509	79,312	52·559	10·31	38	27	12	63·7	44·0	54·4	0·54
LEITH,	1,344	78,538	58·436	9·78	44	24	17	63·9	47·6	53·9	0·75
PAISLEY, . . .	3,493	63,469	18·170	17·53	52	17	11	67·4	45·5	55·5	0·74
PERTH,	4,336	33,274	7·674	26·99	12	8	4	67·0	42·5	54·9	1·13
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	862	545	311	75·9	43·0	59·6	0·04

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 28.

WEEK ENDING SATURDAY, JULY 12, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 12, 1890, was 19·7 per thousand of estimated population. This rate is 1·1 above that for the corresponding week of last year, but 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·6 per thousand; and the highest in Perth, viz., 25·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 82, being 15 less than for the previous week.

The Mean Temperature was 53°·0, being 1°·1 below that for the week immediately preceding, and 1°·9 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 12, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending July 12, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	815	509	214	67·9	41·0	53·0	1·24
GLASGOW, . . .	6,111	530,208	86·763	8·02	386	234	73	62·1	42·9	53·1	1·84
EDINBURGH, . .	5,907	271,135	45·901	11·03	153	87	53	62·5	43·0	52·8	0·89
DUNDEE, . . .	3,408	166,027	48·717	10·71	86	48	12	67·9	43·4	54·0	1·27
ABERDEEN, . .	5,811	123,600	21·270	16·21	62	54	18	59·3	41·0	51·1	1·42
GREENOCK, . .	1,509	79,312	52·559	10·31	39	24	27	61·2	43·2	52·6	1·88
LEITH,	1,344	78,538	58·436	9·78	41	21	12	64·0	45·1	54·2	0·72
PAISLEY, . . .	3,493	63,469	18·170	17·53	36	25	9	62·9	43·9	53·5	1·28
PERTH,	4,336	33,274	7·674	26·99	12	16	10	64·5	42·5	52·9	0·60
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	785	476	231	74·9	42·0	54·9	1·32

Week ending Saturday, July 12, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 12, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19·7	3·3	509	114	91	0	24	3	3	38	5	13	5	82	24	79	49
GLASGOW, .	23·0	4·5	234	60	28	0	16	1	2	20	1	6	1	46	15	37	31
EDINBURGH,	16·7	1·7	87	15	15	0	0	1	0	6	1	1	0	9	4	18	13
DUNDEE, . .	15·0	3·1	48	8	11	0	5	0	1	2	0	2	1	9	1	4	0
ABERDEEN, .	22·7	3·8	54	14	15	0	1	0	0	4	2	2	0	6	1	9	0
GREENOCK, .	15·7	2·0	24	8	4	0	1	0	0	1	0	1	0	4	1	0	2
LEITH, . . .	14·6	1·3	21	3	7	0	0	1	0	0	0	1	1	1	0	2	2
PAISLEY, . .	20·5	0·8	25	2	7	0	0	0	0	1	0	0	1	7	2	7	1
PERTH, . . .	25·0	9·3	16	4	4	0	1	0	0	4	1	0	1	0	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 13, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18·6	3·6	476	123	80	0	19	3	1	24	7	37	3	53	22	68	48
GLASGOW, .	22·3	5·0	227	65	29	0	8	1	1	16	4	21	1	20	9	33	20
EDINBURGH,	16·6	2·1	85	27	16	0	1	0	0	1	2	7	1	11	3	16	14
DUNDEE, . .	13·1	1·9	41	8	11	0	0	0	0	5	0	1	0	8	2	4	3
ABERDEEN, .	16·7	3·4	39	2	9	0	8	0	0	0	0	0	0	4	2	6	1
GREENOCK, .	15·3	3·3	23	5	5	0	0	1	0	1	0	3	0	1	1	2	3
LEITH, . . .	18·4	2·7	27	8	4	0	2	0	0	0	0	2	0	5	3	2	4
PAISLEY, . .	23·3	4·2	28	7	3	0	0	0	0	1	1	3	1	3	2	3	3
PERTH, . . .	9·5	1·6	6	1	3	0	0	1	0	0	0	0	0	1	0	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 29.

WEEK ENDING SATURDAY, JULY 19, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 19, 1890, was 18·3 per thousand of estimated population. This rate is 1·3 below that for the corresponding week of last year, and 1·4 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·6 per thousand; and the highest in Perth, viz., 21·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 73, being 9 below the number for the previous week.

The Mean Temperature was 56°·5, being 3°·5 above that for the week immediately preceding, and 1°·1 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 19, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending July 19, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	771	474	254	71·6	44·0	56·5	0·49
GLASGOW, . . .	6,111	530,208	86·763	8·02	336	192	148	69·3	44·0	57·6	0·55
EDINBURGH, . .	5,907	271,135	45·901	11·03	126	87	43	69·6	46·0	57·5	0·85
DUNDEE, . . .	3,408	166,027	48·717	10·71	93	67	11	69·7	48·6	52·7	0·17
ABERDEEN, . .	5,811	123,600	21·270	16·21	72	47	32	69·1	44·7	55·3	0·62
GREENOCK, . .	1,509	79,312	52·559	10·31	52	28	6	66·7	48·0	56·7	0·64
LEITH,	1,344	78,538	58·436	9·78	41	16	7	70·2	48·8	57·4	0·34
PAISLEY, . . .	3,493	63,469	18·170	17·53	41	23	6	71·6	45·5	58·1	0·39
PERTH,	4,336	33,274	7·674	26·99	10	14	1	69·5	46·0	56·6	0·32
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	808	500	503	71·0	39·1	55·4	0·50

Week ending Saturday, July 19, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 19, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·3	3·1	474	105	76	0	27	5	4	31	1	11	3	73	16	61	41	1
GLASGOW, .	18·8	3·3	192	39	29	0	15	1	1	13	0	4	1	30	5	19	15	1
EDINBURGH,	16·7	1·7	87	23	14	0	0	0	2	4	0	3	0	15	6	13	16	0
DUNDEE, . .	21·0	4·1	67	21	6	0	7	0	1	3	0	2	0	12	1	8	5	0
ABERDEEN, .	19·8	4·2	47	10	8	0	2	0	0	6	1	1	0	6	1	8	2	0
GREENOCK, .	18·4	2·6	28	5	8	0	2	0	0	1	0	1	2	3	1	1	1	0
LEITH, . . .	10·6	1·3	16	2	3	0	0	2	0	0	0	0	0	2	0	4	1	0
PAISLEY, . .	18·8	1·6	23	1	4	0	0	2	0	0	0	0	0	3	2	5	0	0
PERTH, . . .	21·9	7·8	14	4	4	0	1	0	0	4	0	0	0	2	0	3	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 20, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·6	3·7	500	125	76	0	18	2	4	20	12	38	3	66	17	75	50	3
GLASGOW, .	21·9	4·5	222	58	25	0	8	1	1	11	7	18	3	36	9	29	19	3
EDINBURGH,	15·8	1·8	81	21	12	0	2	0	0	3	1	3	0	6	2	18	17	0
DUNDEE, . .	19·7	2·5	62	11	14	0	0	0	0	2	2	4	0	7	3	10	3	0
ABERDEEN, .	15·0	3·4	35	8	11	0	5	0	0	0	0	3	0	6	1	6	2	0
GREENOCK, .	20·6	4·7	31	8	3	0	0	0	2	1	1	3	0	3	0	4	6	0
LEITH, . . .	20·4	5·4	30	7	4	0	3	0	1	1	0	3	0	4	1	2	1	0
PAISLEY, . .	21·6	5·0	26	10	3	0	0	0	0	2	1	3	0	3	1	3	2	0
PERTH, . . .	20·6	3·2	13	2	4	0	0	1	0	0	0	1	0	1	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 30.

WEEK ENDING SATURDAY, JULY 26, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 26, 1890, was 21.1 per thousand of estimated population. This rate is 3.2 above that for the corresponding week of last year, and 2.8 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10.6 per thousand; and the highest in Glasgow, viz., 23.5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4.4 per thousand, being 1.3 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 73, being the same number as for last week.

The Mean Temperature was 57° 8, being 1° 3 above that for the week immediately preceding, and 1° 1 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 26, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending July 26, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42.156	11.51	877	545	541	76.4	41.8	57.8	0.37
GLASGOW, . . .	6,111	530,208	86.763	8.02	297	240	386	67.8	48.0	57.6	0.45
EDINBURGH, . .	5,907	271,135	45.901	11.03	123	109	50	70.0	45.0	58.0	0.22
DUNDEE, . . .	3,408	166,027	48.717	10.71	117	71	37	76.4	43.5	59.2	0.21
ABERDEEN, . .	5,811	123,600	21.270	16.21	78	45	37	69.6	41.8	55.9	0.23
GREENOCK, . .	1,509	79,312	52.559	10.31	48	23	8	69.0	48.0	56.8	0.78
LEITH,	1,344	78,538	58.436	9.78	48	16	12	70.2	46.7	58.7	0.24
PAISLEY, . . .	3,493	63,469	18.170	17.53	43	27	6	66.9	46.7	58.3	0.57
PERTH,	4,336	33,274	7.674	26.99	13	14	5	71.5	42.0	57.6	0.26
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41.664	11.58	763	459	290	72.1	41.5	56.7	0.91

Week ending Saturday, July 26, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 26, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.1	3.4	545	116	111	0	25	3	4	36	7	14	6	73	16	73	52	1
GLASGOW, .	23.5	4.4	240	57	43	0	11	2	1	22	2	7	0	37	8	28	19	1
EDINBURGH,	20.9	2.9	109	18	27	0	2	0	1	7	3	2	0	16	4	23	14	0
DUNDEE, . .	22.2	4.4	71	17	11	0	10	0	2	0	0	2	2	4	1	7	11	0
ABERDEEN, .	18.9	1.3	45	8	13	0	0	0	0	1	1	1	1	3	3	7	2	0
GREENOCK, .	15.1	1.3	23	6	6	0	0	0	0	2	0	0	1	4	0	1	5	0
LEITH, . . .	10.6	2.6	16	4	3	0	1	1	0	2	0	0	0	1	0	0	0	0
PAISLEY, . .	22.1	1.6	27	3	5	0	0	0	0	1	1	0	2	6	0	5	1	0
PERTH, . . .	21.9	6.2	14	3	3	0	1	0	0	1	0	2	0	2	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 27, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.9	3.7	459	133	66	0	20	3	6	21	4	41	4	51	17	67	69	1
GLASGOW, .	20.0	4.1	205	62	24	0	4	1	4	13	3	17	1	24	7	30	32	1
EDINBURGH,	15.0	2.3	77	21	19	0	3	0	1	1	0	7	1	7	3	18	24	0
DUNDEE, . .	10.8	1.6	34	14	4	0	0	0	0	1	1	3	0	5	2	4	6	0
ABERDEEN, .	19.7	3.4	46	13	11	0	6	0	0	0	0	2	1	5	2	8	1	0
GREENOCK, .	17.3	5.3	26	7	1	0	0	0	0	2	0	6	0	2	0	2	0	0
LEITH, . . .	17.0	5.4	25	6	2	0	7	0	0	0	0	1	0	2	0	1	1	0
PAISLEY, . .	28.3	7.5	34	9	2	0	0	1	1	3	0	4	1	4	1	2	4	0
PERTH, . . .	19.0	4.7	12	1	3	0	0	1	0	1	0	1	0	2	2	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 2, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 2, 1890, was 19·2 per thousand of estimated population. This rate is 0·9 above that for the corresponding week of last year, but 1·9 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 15·3 per thousand; and the highest in Perth, viz., 28·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·1 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 73, the same as for the last two weeks.

The Mean Temperature was 59°·2, being 1°·4 above that for the week immediately preceding, but 2°·3 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 2, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending August 2, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	761	498	321	71·0	49·0	59·2	0·71
GLASGOW, . . .	6,111	530,208	86·763	8·02	389	224	65	69·9	50·0	59·2	0·50
EDINBURGH, . .	5,907	271,135	45·901	11·03	124	80	83	69·0	50·5	60·1	0·57
DUNDEE, . . .	3,408	166,027	48·717	10·71	63	55	123	70·6	50·5	59·7	0·55
ABERDEEN, . .	5,811	123,600	21·270	16·21	47	47	16	70·3	49·0	58·9	0·41
GREENOCK, . .	1,509	79,312	52·559	10·31	41	26	8	68·0	50·0	58·6	1·06
LEITH,	1,344	78,538	58·436	9·78	38	26	17	68·3	51·7	59·7	0·82
PAISLEY, . . .	3,493	63,469	18·170	17·53	50	22	7	70·8	50·9	58·7	0·82
PERTH,	4,336	33,274	7·674	26·99	9	18	2	71·0	49·0	59·0	0·91
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	770	468	202	78·6	45·0	61·5	0·27

Week ending Saturday, August 2, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 2, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.2	3.5	498	126	78	0	18	7	3	36	2	24	4	73	17	75	49
GLASGOW, .	22.0	3.4	224	50	26	0	11	2	2	12	0	8	0	31	10	33	24
EDINBURGH,	15.3	2.5	80	21	16	0	2	3	0	8	0	0	1	15	3	16	19
DUNDEE, . .	17.2	5.3	55	18	8	0	2	0	1	4	0	10	0	6	3	6	4
ABERDEEN, .	19.8	4.6	47	18	9	0	1	0	0	6	1	3	0	8	1	9	0
GREENOCK, .	17.0	2.0	26	9	3	0	0	1	0	1	0	1	1	4	0	1	0
LEITH, . . .	17.2	2.0	26	6	8	0	1	0	0	1	0	1	0	4	0	5	0
PAISLEY, . .	18.0	0.8	22	1	5	0	0	1	0	0	0	0	1	4	0	1	1
PERTH, . . .	28.1	10.9	18	3	3	0	1	0	0	4	1	1	1	1	0	4	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 3, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.3	3.0	468	126	88	0	8	4	4	15	7	39	5	55	21	73	54
GLASGOW, .	20.5	3.9	208	57	27	0	1	2	1	6	5	25	1	22	13	43	27
EDINBURGH,	17.1	2.3	88	19	17	0	3	0	1	3	1	4	2	11	3	11	14
DUNDEE, . .	12.4	1.3	39	10	12	0	0	0	0	2	0	2	0	4	0	2	3
ABERDEEN, .	13.3	1.3	31	11	11	0	2	0	0	1	0	0	0	4	1	4	1
GREENOCK, .	15.9	2.0	24	9	4	0	0	0	0	0	0	3	1	1	1	3	3
LEITH, . . .	25.2	4.8	37	11	7	0	2	1	2	1	1	0	1	6	2	2	2
PAISLEY, . .	27.4	5.0	33	6	9	0	0	0	0	2	0	4	0	7	1	7	4
PERTH, . . .	12.7	3.2	8	3	1	0	0	1	0	0	0	1	0	0	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 32.

WEEK ENDING SATURDAY, AUGUST 9, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 9, 1890, was 17·2 per thousand of estimated population. This rate is 1·4 below that for the corresponding week of last year, and 2·0 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·9 per thousand; and the highest in Glasgow, viz., 19·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·9 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 59, being 14 below the number for each week of the last three weeks.

The Mean Temperature was 60°·5, being 1°·3 above that for the week immediately preceding, and 3°·4 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 9, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Proxi- mity in Yards.	Registered during the Week ending August 9, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	793	445	131	74·1	44·4	60·5	0·12
GLASGOW, . . .	6,111	530,208	86·763	8·02	362	197	54	71·0	49·7	60·9	0·05
EDINBURGH, . .	5,907	271,135	45·901	11·03	130	91	36	70·7	46·4	60·6	0·00
DUNDEE, . . .	3,408	166,027	48·717	10·71	88	59	13	71·0	47·2	59·3	0·06
ABERDEEN, . .	5,811	123,600	21·270	16·21	73	35	9	74·1	44·4	60·6	0·14
GREENOCK, . .	1,509	79,312	52·559	10·31	52	20	5	68·0	50·2	59·9	0·50
LEITH,	1,344	78,538	58·436	9·78	34	17	4	72·4	50·4	60·5	0·02
PAISLEY, . . .	3,493	63,469	18·170	17·53	45	19	6	72·2	50·1	61·4	0·07
PERTH,	4,336	33,274	7·674	26·99	9	7	4	72·5	45·5	60·7	0·10
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	717	475	155	69·1	44·8	57·1	1·76

Week ending Saturday, August 9, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 9, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.2	2.6	445	105	83	0	11	4	2	28	4	18	5	59	21	68	52
GLASGOW, .	19.3	3.9	197	47	29	0	8	3	1	13	3	12	1	23	9	29	28
EDINBURGH,	17.5	2.5	91	20	20	0	0	1	0	7	1	4	3	15	4	19	12
DUNDEE, . .	18.5	2.5	59	14	11	0	3	0	0	4	0	1	0	13	3	8	5
ABERDEEN, .	14.7	0.4	35	11	8	0	0	0	0	1	0	0	0	4	2	7	2
GREENOCK, .	13.1	0.7	20	3	6	0	0	0	0	1	0	0	0	1	2	0	3
LEITH, . . .	11.3	1.3	17	4	5	0	0	0	1	1	0	0	0	1	0	2	1
PAISLEY, . .	15.6	0.0	19	6	2	0	0	0	0	0	0	0	1	1	1	2	1
PERTH, . . .	10.9	3.1	7	0	2	0	0	0	0	1	0	1	0	1	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 10, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.6	4.2	475	130	92	1	10	2	7	24	7	57	2	58	16	77	47
GLASGOW, .	21.0	4.7	213	60	37	0	1	2	3	14	5	23	0	22	11	34	21
EDINBURGH,	15.0	3.1	77	16	29	*1	4	0	2	1	1	7	1	12	2	17	12
DUNDEE, . .	17.2	5.1	54	19	3	0	0	0	0	4	1	11	0	7	1	4	5
ABERDEEN, .	15.0	0.9	35	10	7	0	2	0	0	0	0	0	1	6	0	4	0
GREENOCK, .	17.9	1.3	27	4	7	0	0	0	1	0	0	1	0	3	0	6	6
LEITH, . . .	15.0	4.8	22	8	2	0	3	0	1	0	0	3	0	3	0	4	0
PAISLEY, . .	30.8	13.3	37	11	6	0	0	0	0	5	0	11	0	3	1	5	3
PERTH, . . .	15.8	1.6	10	2	1	0	0	0	0	0	0	1	0	2	1	3	0

* Chickenpox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 16, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 16, 1890, was 18·2 per thousand of estimated population. This rate is 0·4 above that for the corresponding week of last year, and 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·5 per thousand; and the highest in Glasgow, viz., 21·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·2 above that for the preceding week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 61, or 2 more than for last week.

The Mean Temperature was 58°·0, being 2°·5 below that for the week immediately preceding, but 1°·9 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 16, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending August 16, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	821	470	163	72·5	47·5	58·0	1·51
GLASGOW, . . .	6,111	530,208	86·763	8·02	378	218	59	70·7	48·0	58·5	1·34
EDINBURGH, . .	5,907	271,135	45·901	11·03	131	98	36	64·9	47·5	57·1	2·95
DUNDEE, . .	3,408	166,027	48·717	10·71	105	50	13	67·8	49·0	57·7	0·92
ABERDEEN, . .	5,811	123,600	21·270	16·21	72	33	10	63·8	50·4	57·7	0·90
GREENOCK, . .	1,509	79,312	52·559	10·31	41	21	7	68·2	49·0	58·2	1·38
LEITH,	1,344	78,538	58·436	9·78	42	21	8	63·8	49·1	56·9	2·12
PAISLEY, . . .	3,493	63,469	18·170	17·53	35	21	26	72·5	48·0	59·1	0·98
PERTH,	4,336	33,274	7·674	26·99	17	8	4	69·5	49·0	58·4	1·46
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	763	455	152	67·2	44·5	56·1	1·13

Week ending Saturday, August 16, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 16, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·2	2·8	470	126	91	0	4	4	7	20	2	36	6	61	24	65	45	0
GLASGOW, .	21·4	4·2	218	53	32	0	2	0	6	12	2	21	4	28	10	35	20	0
EDINBURGH,	18·8	2·9	98	29	23	0	0	2	0	7	0	6	0	12	3	14	16	0
DUNDEE, . .	15·7	2·2	50	17	7	0	2	0	0	1	0	4	0	10	2	6	1	0
ABERDEEN, .	13·9	0·4	33	8	12	0	0	0	0	0	0	1	0	4	4	6	3	0
GREENOCK, .	13·8	0·7	21	5	6	0	0	0	0	0	0	1	0	3	2	1	3	0
LEITH, . . .	13·9	2·6	21	9	3	0	0	0	1	0	0	3	0	1	1	0	1	0
PAISLEY, . .	17·2	1·6	21	5	5	0	0	2	0	0	0	0	2	2	2	2	1	0
PERTH, . . .	12·5	0·0	8	0	3	0	0	0	0	0	0	0	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 17, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·8	3·4	455	150	74	1	10	0	7	21	6	43	5	52	18	68	36	1
GLASGOW, .	20·7	4·1	210	74	25	0	4	0	2	12	1	23	2	22	6	27	13	0
EDINBURGH,	15·4	2·3	79	17	16	*1	0	0	3	2	2	4	0	11	5	20	8	0
DUNDEE, . .	17·2	2·5	54	18	8	0	0	0	2	3	0	3	2	6	1	5	1	0
ABERDEEN, .	11·6	1·7	27	10	9	0	3	0	0	0	0	1	0	4	1	1	2	0
GREENOCK, .	14·0	3·3	21	6	6	0	0	0	0	0	1	4	0	3	0	2	4	0
LEITH, . . .	15·7	4·8	23	10	3	0	3	0	0	0	0	4	1	2	1	4	1	0
PAISLEY, . .	20·0	7·5	24	12	3	0	0	0	0	4	1	4	0	2	1	2	5	0
PERTH, . . .	26·9	1·6	17	3	4	0	0	0	0	0	1	0	0	2	3	7	2	1

* Chickenpox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 34.

WEEK ENDING SATURDAY, AUGUST 23, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 23, 1890, was 18·9 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 14·4 per thousand; and the highest in Leith, viz., 21·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·7 above that for the preceding week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 76, or 15 above the number for last week.

The Mean Temperature was 55°·4, being 2°·6 below that for the week immediately preceding, but 0°·3 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 23, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending August 23, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	842	488	173	67·9	42·2	55·4	0·89
GLASGOW, . . .	6,111	530,208	86·763	8·02	357	213	75	65·0	45·6	55·8	2·34
EDINBURGH, . .	5,907	271,135	45·901	11·03	139	84	30	65·5	47·0	55·6	0·56
DUNDEE, . . .	3,408	166,027	48·717	10·71	103	64	9	67·9	45·7	56·3	0·79
ABERDEEN, . .	5,811	123,600	21·270	16·21	83	37	13	64·6	42·2	54·2	0·43
GREENOCK, . .	1,509	79,312	52·559	10·31	49	22	7	64·7	46·0	55·4	0·87
LEITH,	1,344	78,538	58·436	9·78	48	32	10	66·1	47·4	56·2	0·74
PAISLEY, . . .	3,493	63,469	18·170	17·53	42	24	25	66·3	47·1	55·8	0·79
PERTH,	4,336	33,274	7·674	26·99	21	12	4	66·5	43·5	54·1	0·59
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	787	462	149	69·0	40·0	55·1	1·43

Week ending Saturday, August 23, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 23, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.			The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.9	3.5	488	144	88	1	10	6	4	27	3	40	5	76	15	67	49
GLASGOW, .	20.9	2.9	213	68	25	0	2	1	2	10	0	15	0	47	7	21	24
EDINBURGH,	16.1	4.0	84	18	26	*1	1	4	2	7	0	6	2	7	4	27	12
DUNDEE, . .	20.0	4.1	64	18	9	0	1	0	0	1	2	9	0	11	3	4	6
ABERDEEN, .	15.6	2.5	37	11	10	0	2	0	0	3	0	1	0	5	1	5	0
GREENOCK, .	14.4	2.6	22	9	0	0	1	0	0	0	1	2	0	2	0	2	5
LEITH, . . .	21.2	4.6	32	13	7	0	0	0	0	3	0	4	0	3	0	5	1
PAISLEY, . .	19.7	4.1	24	5	8	0	0	1	0	1	0	3	3	0	0	2	1
PERTH, . . .	18.7	7.8	12	2	3	0	3	0	0	2	0	0	0	1	0	1	0

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 24, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.			The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.1	3.6	462	118	81	2	13	2	8	11	7	48	5	43	16	76	45
GLASGOW, .	20.9	3.3	212	60	33	*2	3	1	3	5	2	24	1	24	8	26	22
EDINBURGH,	14.6	3.3	75	16	12	0	2	1	2	3	2	7	2	2	2	25	13
DUNDEE, . .	15.9	3.8	50	12	13	0	0	0	3	1	1	7	0	6	2	3	1
ABERDEEN, .	13.3	3.0	31	8	6	0	3	0	0	0	0	4	0	3	1	8	0
GREENOCK, .	14.0	1.3	21	1	5	0	0	0	0	1	0	1	0	3	2	4	3
LEITH, . . .	17.7	4.1	26	8	5	0	5	0	0	0	0	1	1	2	0	3	0
PAISLEY, . .	29.9	5.8	36	11	4	0	0	0	0	1	2	4	1	2	0	6	5
PERTH, . . .	17.4	0.0	11	2	3	0	0	0	0	0	0	0	0	1	1	1	0

* Chickenpox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 35.

WEEK ENDING SATURDAY, AUGUST 30, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 30, 1890, was 16·8 per thousand of estimated population. This rate is 0·8 below that for the corresponding week of last year, and 2·1 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·9 per thousand; and the highest in Dundee, viz., 22·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·9 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 53, or 23 less than for last week.

The Mean Temperature was 52°·2, being 3°·2 below that for the week immediately preceding, and 3°·8 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 30, 1890, in Eight Principal Towns of Scotland.

TOWNS,	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending August 30, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	774	434	156	66·0	36·5	52·2	0·68
GLASGOW, . . .	6,111	530,208	86·763	8·02	353	187	73	63·0	40·5	52·7	0·86
EDINBURGH, . .	5,907	271,135	45·901	11·03	152	64	44	63·7	40·4	51·5	0·97
DUNDEE, . . .	3,408	166,027	48·717	10·71	72	73	10	62·3	38·4	52·0	0·92
ABERDEEN, . .	5,811	123,600	21·270	16·21	64	41	11	63·0	39·2	51·7	—
GREENOCK, . .	1,509	79,312	52·559	10·31	42	25	7	62·0	44·0	52·7	0·50
LEITH,	1,344	78,538	58·436	9·78	37	18	5	60·9	42·9	52·0	0·49
PAISLEY, . . .	3,493	63,469	18·170	17·53	45	15	4	66·0	43·0	53·7	0·49
PERTH,	4,336	33,274	7·674	26·99	9	11	2	64·0	36·5	51·0	0·54
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	815	449	157	71·4	39·0	56·0	0·88

Week ending Saturday, August 30, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 30, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·8	2·6	434	120	83	1	4	1	10	14	4	32	3	53	14	68	40	2
GLASGOW, .	18·3	3·5	187	45	30	0	1	0	5	11	2	17	1	23	6	28	24	1
EDINBURGH,	12·3	1·9	64	22	15	0	2	0	1	2	0	5	0	4	3	14	8	0
DUNDEE, . .	22·9	2·8	73	23	13	*1	0	1	2	0	0	5	1	10	1	7	2	0
ABERDEEN, .	17·2	1·3	41	11	11	0	0	0	0	1	2	0	1	8	1	9	3	0
GREENOCK, .	16·4	2·0	25	5	5	0	0	0	2	0	0	1	0	2	2	3	1	0
LEITH, . . .	11·9	1·3	18	7	4	0	0	0	0	0	0	2	0	3	1	2	0	0
PAISLEY, . .	12·3	0·8	15	4	1	0	0	0	0	0	0	1	0	1	0	3	1	0
PERTH, . . .	18·2	3·1	11	3	4	0	1	0	0	0	0	1	0	2	0	2	1	1

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 31, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·6	2·9	449	107	75	0	7	5	7	19	5	31	7	48	22	74	39	2
GLASGOW, .	19·2	3·4	195	48	26	0	2	1	5	11	2	14	1	29	10	27	14	2
EDINBURGH,	16·2	1·8	83	18	14	0	0	3	0	0	2	4	3	6	5	21	19	0
DUNDEE, . .	14·6	2·9	46	13	9	0	0	0	1	3	0	5	1	4	1	6	2	0
ABERDEEN, .	13·3	1·3	31	5	7	0	2	0	0	0	0	1	1	3	1	5	0	0
GREENOCK, .	12·6	2·7	19	4	3	0	0	0	1	1	0	2	0	1	1	2	1	0
LEITH, . . .	23·8	4·8	35	11	6	0	3	0	0	2	0	2	0	4	3	4	3	0
PAISLEY, . .	25·8	5·0	31	8	7	0	0	0	0	2	1	3	0	1	1	6	0	0
PERTH, . . .	14·4	1·6	9	0	3	0	0	1	0	0	0	0	1	0	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 6, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 6, 1890, was 18·2 per thousand of estimated population. This rate is 1·7 above that for the corresponding week of last year, and 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·6 per thousand; and the highest in Glasgow, viz., 21·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·4 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 72, or 19 more than for last week.

The Mean Temperature was 57°·3, being 5°·1 above that for the week immediately preceding, and 0°·7 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 6, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Sept. 6, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	771	470	212	74·0	33·5	57·3	0·80
GLASGOW, . . .	6,111	530,208	86·763	8·02	361	220	105	68·0	36·8	57·8	1·38
EDINBURGH, . .	5,907	271,135	45·901	11·03	126	84	44	69·8	38·0	57·8	0·45
DUNDEE, . . .	3,408	166,027	48·717	10·71	87	56	17	72·7	38·1	57·6	0·58
ABERDEEN, . .	5,811	123,600	21·270	16·21	68	40	18	74·0	39·3	57·8	0·23
GREENOCK, . .	1,509	79,312	52·559	10·31	47	18	8	69·0	42·0	57·1	1·83
LEITH,	1,344	78,538	58·436	9·78	45	16	11	68·3	42·3	58·4	0·47
PAISLEY, . . .	3,493	63,469	18·170	17·53	29	24	3	68·9	40·9	58·3	0·90
PERTH,	4,336	33,274	7·674	26·99	8	12	6	71·0	33·5	53·5	0·57
Corresponding Week of 1889,—Eight Towns.	31,919	1,329,884	41·664	11·58	782	423	197	72·0	42·0	56·6	0·01

Week ending Saturday, September 6, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 6, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.2	3.0	470	117	84	0	11	13	4	23	8	18	5	72	26	88	43	0
GLASGOW, .	21.6	3.4	220	56	33	0	7	4	2	12	5	5	1	41	8	39	26	0
EDINBURGH,	16.1	1.9	84	25	23	0	0	2	0	4	0	4	1	13	4	21	9	0
DUNDEE, . .	17.5	2.6	56	15	6	0	1	0	1	2	0	4	0	5	7	4	3	0
ABERDEEN, .	16.8	2.5	40	6	8	0	1	3	0	1	0	1	1	9	1	8	1	0
GREENOCK, .	11.8	2.0	18	6	2	0	1	0	0	0	1	1	0	3	4	5	3	0
LEITH, . . .	10.6	4.0	16	2	4	0	0	2	1	1	1	1	0	1	0	4	0	0
PAISLEY, . .	19.7	4.9	24	3	3	0	0	2	0	2	1	1	2	0	2	3	1	0
PERTH, . . .	18.7	4.7	12	4	5	0	1	0	0	1	0	1	0	0	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 7, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.5	2.6	423	89	84	0	3	2	9	18	10	24	4	50	17	50	39	1
GLASGOW, .	21.2	3.2	215	43	36	0	1	0	3	10	6	13	2	35	9	19	21	1
EDINBURGH,	12.7	1.4	65	12	21	0	0	1	2	1	0	3	1	3	2	11	10	0
DUNDEE, . .	14.3	1.9	45	11	10	0	0	0	0	4	1	1	0	6	3	5	3	0
ABERDEEN, .	15.0	2.6	35	6	6	0	1	0	0	0	2	3	0	3	1	6	0	0
GREENOCK, .	14.0	0.7	21	5	3	0	0	0	1	0	0	0	0	1	0	3	3	0
LEITH, . . .	14.3	5.4	21	9	3	0	1	1	3	2	0	1	0	0	1	0	0	0
PAISLEY, . .	11.6	3.3	14	2	3	0	0	0	0	1	1	2	0	1	1	4	2	0
PERTH, . . .	11.1	1.6	7	1	2	0	0	0	0	0	0	1	1	1	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 13, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 13, 1890, was 17·8 per thousand of estimated population. This rate was 1·3 below that for the corresponding week of last year, and 0·4 below that for the previous week of the present year.

The lowest mortality was recorded at Greenock, viz., 7·9 per thousand; and the highest in Glasgow, viz., 21·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·1 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 78, being 6 more than during last week.

The Mean Temperature was 57°·9, being 0°·6 above that for the week immediately preceding, but 1°·2 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 13, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Sept. 13, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	775	463	179	76·3	39·0	57·9	0·02
GLASGOW, . . .	6,111	530,208	86·763	8·02	359	217	80	76·3	42·3	58·1	0·02
EDINBURGH, . .	5,907	271,135	45·901	11·03	121	91	37	76·2	41·5	60·7	0·00
DUNDEE, . . .	3,408	166,027	48·717	10·71	87	53	18	74·4	43·8	58·3	0·00
ABERDEEN, . .	5,811	123,600	21·270	16·21	72	31	17	74·2	44·6	57·3	0·08
GREENOCK, . .	1,509	79,312	52·559	10·31	35	12	9	70·0	46·2	57·9	0·03
LEITH,	1,344	78,538	58·436	9·78	50	24	9	74·5	45·8	58·0	0·00
PAISLEY, . . .	3,493	63,469	18·170	17·53	38	24	5	75·1	44·9	58·9	0·01
PERTH,	4,336	33,274	7·674	26·99	13	11	4	73·5	39·0	54·2	0·00
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	804	488	171	74·0	43·9	59·1	0·18

Week ending Saturday, September 13, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 13, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.8	3.1	463	127	74	0	8	5	8	25	8	26	6	78	25	71	35
GLASGOW, .	21.2	4.0	217	57	27	0	4	3	3	14	3	14	1	42	14	32	23
EDINBURGH,	17.4	2.7	91	18	16	0	1	2	3	4	0	4	4	9	8	26	6
DUNDEE, . .	16.5	1.6	53	21	10	0	0	0	0	3	1	1	0	14	3	3	3
ABERDEEN, .	13.0	2.5	31	10	6	0	0	0	0	2	2	2	1	4	0	4	1
GREENOCK, .	7.9	2.0	12	2	2	0	2	0	0	0	0	1	0	1	0	0	1
LEITH, . . .	15.9	2.0	24	9	4	0	0	0	1	0	0	2	0	6	0	2	0
PAISLEY, . .	19.6	3.3	24	6	6	0	1	0	1	0	1	1	0	1	0	3	1
PERTH, . . .	17.2	6.2	11	4	3	0	0	0	0	2	1	1	0	1	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 14, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.1	3.1	488	127	117	0	9	3	5	13	11	38	4	57	18	70	47
GLASGOW, .	19.7	3.3	200	58	31	0	5	0	2	6	4	17	1	26	7	23	19
EDINBURGH,	15.0	3.3	77	19	23	0	0	1	2	4	2	8	0	8	5	22	11
DUNDEE, . .	23.6	3.2	74	17	25	0	0	0	0	2	4	4	0	13	2	12	6
ABERDEEN, .	22.7	2.1	53	13	16	0	1	0	0	0	0	4	0	1	2	4	1
GREENOCK, .	19.3	2.7	29	10	7	0	0	0	1	0	1	2	1	2	1	1	5
LEITH, . . .	19.1	4.1	28	5	7	0	3	1	0	0	0	2	1	4	0	2	2
PAISLEY, . .	12.5	1.7	15	2	5	0	0	0	0	1	0	1	1	2	1	8	0
PERTH, . . .	19.0	1.6	12	3	3	0	0	1	0	0	0	0	0	1	0	3	3

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 88. WEEK ENDING SATURDAY, SEPTEMBER 20, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 20, 1890, was 19·6 per thousand of estimated population. This rate is 3·2 above that for the corresponding week of last year, and 1·8 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·9 per thousand; and the highest in Glasgow, viz., 23·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·3 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 69, or 9 less than for last week.

The Mean Temperature was 58°·9, being 1°·0 above that for the week immediately preceding, and 8°·1 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 20, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Sept. 20, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	757	506	167	74·5	46·0	58·9	0·52
GLASGOW, . . .	6,111	530,208	86·763	8·02	349	244	77	73·8	46·0	59·8	0·34
EDINBURGH, . .	5,907	271,135	45·901	11·03	143	87	34	73·8	46·2	59·1	0·38
DUNDEE, . . .	3,408	166,027	48·717	10·71	79	57	9	71·9	47·6	58·0	0·91
ABERDEEN, . .	5,811	123,600	21·270	16·21	64	34	24	69·8	49·8	56·9	0·25
GREENOCK, . .	1,509	79,312	52·559	10·31	34	26	4	69·7	49·0	59·7	0·77
LEITH,	1,344	78,538	58·436	9·78	37	28	8	74·5	50·2	58·7	0·31
PAISLEY, . . .	3,493	63,469	18·170	17·53	38	23	8	72·9	46·3	60·2	0·40
PERTH,	4,336	33,274	7·674	26·99	13	7	3	72·0	46·0	59·1	0·82
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	800	419	158	64·2	34·5	50·8	0·62

Week ending Saturday, September 20, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 20, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19.6	3.4	506	132	97	0	6	7	6	25	4	41	5	69	14	74	44	2	
GLASGOW, .	23.9	4.4	244	59	36	0	3	3	3	15	3	18	1	40	6	36	24	1	
EDINBURGH,	16.7	1.9	87	17	24	0	0	0	0	4	0	6	0	11	4	24	14	0	
DUNDEE, . .	17.9	3.4	57	22	10	0	0	0	2	1	0	8	0	8	0	5	1	0	
ABERDEEN, .	14.3	2.5	34	10	11	0	1	0	0	2	0	3	2	3	1	2	0	0	
GREENOCK, .	17.0	2.0	26	3	5	0	2	0	0	0	0	1	1	3	3	4	2	1	
LEITH, . . .	18.5	3.3	28	14	5	0	0	0	0	1	1	3	0	2	0	1	2	0	
PAISLEY, . .	18.8	4.9	23	6	6	0	0	3	1	1	0	1	1	2	0	2	1	0	
PERTH, . . .	10.9	4.7	7	1	0	0	0	1	0	1	0	1	0	0	0	0	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 21, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	16.4	2.9	419	121	93	0	5	6	6	15	6	36	10	56	13	70	49	1	
GLASGOW, .	17.2	2.8	175	49	35	0	3	2	4	9	3	7	3	26	6	35	16	0	
EDINBURGH,	17.9	3.7	92	30	18	0	1	1	1	5	1	10	4	10	4	19	19	0	
DUNDEE, . .	14.0	3.2	44	17	9	0	0	0	1	1	0	8	1	10	0	5	4	0	
ABERDEEN, .	14.1	1.3	33	8	9	0	0	0	0	0	1	2	1	2	0	4	2	0	
GREENOCK, .	15.9	2.0	24	4	5	0	0	0	0	0	0	3	1	2	2	1	5	1	
LEITH, . . .	12.3	2.7	18	4	6	0	1	1	0	0	1	1	0	3	1	3	0	0	
PAISLEY, . .	22.4	3.3	27	7	8	0	0	1	0	0	0	3	0	3	0	2	3	0	
PERTH, . . .	9.5	4.7	6	2	3	0	0	1	0	0	0	2	0	0	0	1	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 27, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 27, 1890, was 18·7 per thousand of estimated population. This rate is 0·1 below that for the corresponding week of last year, and 0·9 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 9·2 per thousand; and the highest in Paisley, viz., 22·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8, or 0·6 below the rate for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 91, being 22 above the number for last week.

The Mean Temperature was 56°·7, being 2°·2 below that for the week immediately preceding, but 9°·6 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 27, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Proxi- mity in Yards.	Registered during the Week ending Sept. 27, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	739	483	149	71·1	43·5	56·7	0·57
GLASGOW, . . .	6,111	530,208	86·763	8·02	341	226	64	64·6	47·9	57·2	0·52
EDINBURGH, . .	5,907	271,135	45·901	11·03	107	87	22	66·5	44·8	55·6	0·18
DUNDEE, . . .	3,408	166,027	48·717	10·71	84	52	12	68·4	45·4	56·9	0·12
ABERDEEN, . .	5,811	123,600	21·270	16·21	55	36	23	71·1	46·2	56·8	0·55
GREENOCK, . .	1,509	79,312	52·559	10·31	47	14	4	62·2	47·2	56·0	2·10
LEITH,	1,344	78,538	58·436	9·78	43	32	6	69·0	47·9	57·5	0·35
PAISLEY, . . .	3,493	63,469	18·170	17·53	45	28	14	62·9	48·2	56·7	0·66
PERTH,	4,336	33,274	7·674	26·99	17	8	4	71·0	43·5	56·6	0·06
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	773	481	177	63·2	29·5	47·1	0·29

Week ending Saturday, September 27, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 27, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18·7	2·8	483	137	93	0	5	6	4	12	11	34	4	91	14	62	57
GLASGOW, .	22·2	3·6	226	60	31	0	4	0	3	8	8	14	2	48	6	25	29
EDINBURGH,	16·4	2·8	87	25	25	0	0	1	1	3	1	9	0	9	1	15	15
DUNDEE, . .	16·3	1·3	52	18	15	0	0	0	0	1	1	2	1	8	2	3	7
ABERDEEN, .	15·1	1·3	36	16	7	0	1	1	0	0	0	1	1	8	2	6	0
GREENOCK, .	9·2	1·3	14	1	2	0	0	1	0	0	0	1	0	5	2	1	1
LEITH, . . .	21·2	2·6	32	9	5	0	0	1	0	0	0	3	0	8	0	5	3
PAISLEY, . .	22·9	4·1	28	6	6	0	0	2	0	0	1	2	0	4	0	4	1
PERTH, . . .	12·5	3·1	8	2	2	0	0	0	0	0	0	2	0	1	1	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 28, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18·8	2·9	481	112	94	0	6	4	9	14	11	30	10	79	24	81	58
GLASGOW, .	20·7	3·4	210	52	34	0	5	1	1	9	6	13	4	42	11	42	24
EDINBURGH,	16·6	1·9	85	16	23	0	0	0	1	2	2	5	1	14	4	17	22
DUNDEE, . .	16·6	3·5	52	18	8	0	0	0	2	1	1	7	0	8	3	9	1
ABERDEEN, .	17·1	1·3	40	10	10	0	0	0	0	0	0	3	2	3	1	4	1
GREENOCK, .	19·3	1·3	29	8	5	0	0	0	0	0	1	1	0	4	3	3	5
LEITH, . . .	25·2	4·8	37	8	7	0	0	2	3	1	0	1	1	4	1	3	3
PAISLEY, . .	18·3	3·3	22	0	5	0	1	1	1	0	1	0	2	4	0	3	2
PERTH, . . .	9·5	3·2	6	0	2	0	0	0	1	1	0	0	0	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 40.

WEEK ENDING SATURDAY, OCTOBER 4, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 4, 1890, was 18·0 per thousand of estimated population. This rate is 0·6 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 11·8 per thousand; and the highest in Leith, viz., 21·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, or 0·4 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 77, being 14 below the number for last week.

The Mean Temperature was 52°·4, being 4°·3 below that for the week immediately preceding, but 4°·2 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 4, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Oct. 4, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	789	467	205	68·0	36·0	52·4	2·10
GLASGOW, . . .	6,111	530,208	86·763	8·02	344	194	111	60·9	38·5	53·4	2·24
EDINBURGH, . .	5,907	271,135	45·901	11·03	139	99	31	62·5	36·5	52·9	1·56
DUNDEE, . . .	3,408	166,027	48·717	10·71	94	47	10	64·6	37·6	51·1	1·84
ABERDEEN, . .	5,811	123,600	21·270	16·21	69	43	20	65·0	38·6	51·4	1·49
GREENOCK, . .	1,509	79,312	52·559	10·31	56	18	6	61·0	38·0	51·9	3·69
LEITH,	1,344	78,538	58·436	9·78	37	32	11	61·2	38·8	53·2	1·82
PAISLEY, . . .	3,493	63,469	18·170	17·53	32	21	12	61·1	37·3	54·0	2·03
PERTH,	4,336	33,274	7·674	26·99	18	13	4	68·0	36·0	51·2	2·11
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	790	476	203	59·9	32·4	48·2	0·66

Week ending Saturday, October 4, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 4, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.0	3.2	467	143	79	0	8	5	7	16	8	38	7	77	22	69	48	3
GLASGOW, .	19.0	4.2	194	70	19	0	6	4	3	10	5	15	3	33	6	17	23	2
EDINBURGH,	19.0	2.4	99	27	21	0	0	1	2	3	0	7	0	16	6	26	17	0
DUNDEE, . .	14.7	3.4	47	16	8	0	1	0	0	0	2	8	0	4	4	10	2	0
ABERDEEN, .	18.1	0.0	43	8	14	0	0	0	0	0	0	0	2	7	3	8	0	1
GREENOCK, .	11.8	0.7	18	3	4	0	1	0	0	0	0	0	0	7	1	1	2	0
LEITH, . . .	21.2	4.6	32	14	4	0	0	0	2	1	0	4	1	5	1	1	2	0
PAISLEY, . .	17.2	4.1	21	4	6	0	0	0	0	2	1	2	0	3	0	5	1	0
PERTH, . . .	20.3	3.1	13	1	3	0	0	0	0	0	0	2	1	2	1	1	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 5, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from													
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	18.6	2.7	476	116	102	0	8	6	13	15	11	16	11	88	22	78	42	1	
GLASGOW, .	20.4	3.2	208	59	28	0	3	3	3	11	6	7	4	47	16	35	18	0	
EDINBURGH,	17.7	1.4	91	16	29	0	0	1	3	0	1	2	1	16	2	17	18	0	
DUNDEE, . .	18.8	2.2	59	16	20	0	0	1	2	1	0	3	0	13	2	7	3	0	
ABERDEEN, .	16.7	3.0	39	6	8	0	4	0	1	0	1	1	1	4	0	7	0	0	
GREENOCK, .	14.0	2.0	21	3	3	0	0	0	0	1	2	0	2	1	2	6	0	0	
LEITH, . . .	20.4	4.8	30	8	7	0	1	0	4	0	0	2	1	6	0	3	0	0	
PAISLEY, . .	11.6	3.3	14	3	3	0	0	0	0	2	1	1	2	0	0	1	2	1	
PERTH, . . .	22.2	1.6	14	5	4	0	0	1	0	0	0	0	0	1	0	2	1	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 11, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 11, 1890, was 18·2 per thousand of estimated population. This rate is 0·1 below that for the corresponding week of last year, but 0·2 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 15·1 per thousand; and the highest in Paisley, viz., 25·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 69, or 8 less than for last week.

The Mean Temperature was 53°·6, being 1°·2 above that for the week immediately preceding, and 6°·6 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 11, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Oct. 11, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	840	471	172	69·6	32·0	53·6	0·14
GLASGOW, . . .	6,111	530,208	86·763	8·02	417	195	86	61·3	32·6	53·3	0·10
EDINBURGH, . .	5,907	271,135	45·901	11·03	132	93	34	62·7	35·6	53·8	0·10
DUNDEE, . . .	3,408	166,027	48·717	10·71	83	53	14	63·4	38·6	53·7	0·20
ABERDEEN, . .	5,811	123,600	21·270	16·21	70	36	18	69·6	37·2	53·6	0·07
GREENOCK, . .	1,509	79,312	52·559	10·31	39	25	3	59·2	39·0	52·9	0·35
LEITH,	1,344	78,538	58·436	9·78	49	28	5	62·9	41·3	54·4	0·04
PAISLEY, . . .	3,493	63,469	18·170	17·53	36	31	8	60·9	35·0	53·4	0·24
PERTH,	4,336	33,274	7·674	26·99	14	10	4	65·5	32·0	53·7	0·00
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	828	469	163	59·6	32·0	47·0	1·16

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 11, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of				Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	18.2	2.7	471	133	80	0	8	8	5	10	11	28	5	69	21	72	52	3	
GLASGOW, .	19.1	3.2	195	60	28	0	5	2	0	10	5	11	1	36	10	24	25	2	
EDINBURGH,	17.8	1.7	93	28	11	0	1	0	0	0	2	6	2	11	7	23	16	0	
DUNDEE, . .	16.6	2.5	53	17	7	0	0	1	0	0	2	5	1	9	0	6	3	0	
ABERDEEN, .	15.1	1.7	36	8	12	0	1	1	0	0	0	2	0	4	0	9	1	0	
GREENOCK, .	16.4	0.7	25	5	7	0	0	0	1	0	0	0	0	2	1	2	2	0	
LEITH, . . .	18.5	4.0	28	9	3	0	1	0	2	0	2	1	0	5	2	1	1	0	
PAISLEY, . .	25.4	6.6	31	6	10	0	0	4	2	0	0	2	0	2	0	5	2	0	
PERTH, . . .	15.6	1.6	10	0	2	0	0	0	0	0	0	1	1	0	1	2	2	1	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 12, 1889.

[illegible]

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 42.

WEEK ENDING SATURDAY, OCTOBER 18, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 18, 1890, was 19·4 per thousand of estimated population. This rate is 1·1 below that for the corresponding week of last year, but 1·2 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·7 per thousand; and the highest in Glasgow, viz., 22·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 86, or 17 more than for last week.

The Mean Temperature was 50°·4, being 3°·2 below that for the week immediately preceding, but 3°·7 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 18, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Oct. 18, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	688	501	190	69·1	39·0	50·4	0·51
GLASGOW, . . .	6,111	530,208	86·763	8·02	349	224	74	61·7	41·1	50·2	0·59
EDINBURGH, . .	5,907	271,135	45·901	11·03	108	99	29	65·2	39·5	51·0	0·52
DUNDEE, . . .	3,408	166,027	48·717	10·71	59	54	52	61·9	39·0	49·7	0·18
ABERDEEN, . .	5,811	123,600	21·270	16·21	63	40	9	69·1	39·8	49·7	0·65
GREENOCK, . .	1,509	79,312	52·559	10·31	31	24	7	59·0	40·0	50·3	0·96
LEITH,	1,344	78,538	58·436	9·78	39	29	8	64·8	41·2	51·0	0·37
PAISLEY, . . .	3,493	63,469	18·170	17·53	29	18	5	60·0	39·5	50·4	0·60
PERTH,	4,336	33,274	7·674	26·99	10	13	6	64·0	39·0	51·0	0·25
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	873	524	174	59·7	31·5	46·7	0·47

Week ending Saturday, October 18, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 18, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·4	2·9	501	115	97	0	13	8	7	16	5	25	5	86	14	72	58	1
GLASGOW, .	22·0	2·8	224	45	40	0	6	2	1	10	0	10	1	51	7	33	25	0
EDINBURGH,	19·0	1·7	99	19	28	0	0	0	2	1	1	5	1	16	2	18	23	0
DUNDEE, . .	16·9	2·8	54	15	6	0	0	1	0	1	3	4	0	6	1	5	1	0
ABERDEEN, .	16·8	2·9	40	14	9	0	0	2	0	0	0	5	1	4	1	8	0	0
GREENOCK, .	15·7	3·3	24	6	6	0	3	1	0	0	1	0	1	2	0	1	5	0
LEITH, . . .	19·2	3·3	29	11	4	0	0	0	3	2	0	0	1	6	2	3	2	0
PAISLEY, . .	14·7	4·9	18	3	2	0	3	2	0	1	0	0	0	1	1	3	1	0
PERTH, . . .	20·3	6·3	13	2	2	0	1	0	1	1	0	1	0	0	0	1	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 19, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·5	2·4	524	180	97	0	9	9	6	11	11	15	8	110	26	78	54	0
GLASGOW, .	23·1	2·6	235	67	39	0	4	2	4	7	4	5	0	70	9	34	25	0
EDINBURGH,	19·1	1·8	98	17	25	0	0	1	2	2	1	3	6	9	8	25	23	0
DUNDEE, . .	19·4	1·6	61	12	11	0	0	0	0	2	0	3	2	7	3	4	2	0
ABERDEEN, .	20·5	4·3	48	9	8	0	5	0	0	0	2	3	0	3	1	5	1	0
GREENOCK, .	15·3	2·0	23	7	1	0	0	0	0	0	2	1	0	5	0	4	2	0
LEITH, . . .	20·4	1·4	30	14	4	0	0	2	0	0	0	0	0	10	2	1	1	0
PAISLEY, . .	14·9	1·7	18	3	6	0	0	1	0	0	1	0	0	4	3	3	0	0
PERTH, . . .	17·4	6·3	11	1	3	0	0	3	0	0	1	0	0	2	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 43.

WEEK ENDING SATURDAY, OCTOBER 25, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 25, 1890, was 21.1 per thousand of estimated population. This rate is 1.8 above that for the corresponding week of last year, and 1.7 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 15.6 per thousand; and the highest in Glasgow, viz., 24.3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3.1 per thousand, being an increase of 0.2 on the preceding week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 124, or 38 more than for last week.

The Mean Temperature was 48° 3, being 2° 1 below that for the week immediately preceding, but 2° 3 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 25, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Proxi- mity in Yards.	Registered during the Week ending Oct. 25, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42.156	11.51	748	545	130	61.9	29.3	48.3	0.40
GLASGOW, . . .	6,111	530,208	86.763	8.02	368	248	67	58.1	29.3	48.6	0.20
EDINBURGH, . .	5,907	271,135	45.901	11.03	120	91	19	58.1	33.5	48.1	0.16
DUNDEE, . . .	3,408	166,027	48.717	10.71	77	64	15	59.0	36.5	47.1	0.38
ABERDEEN, . .	5,811	123,600	21.270	16.21	69	54	12	61.9	36.2	48.1	0.62
GREENOCK, . .	1,509	79,312	52.559	10.31	35	27	2	57.0	36.2	49.6	0.45
LEITH,	1,344	78,538	58.436	9.78	41	29	10	57.3	37.9	48.3	0.51
PAISLEY, . . .	3,493	63,469	18.170	17.53	24	19	2	57.9	32.3	49.1	0.21
PERTH,	4,336	33,274	7.674	26.99	14	13	3	60.5	35.5	47.7	0.65
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41.664	11.58	855	494	155	57.0	31.5	46.0	0.64

Week ending Saturday, October 25, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 25, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																	
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from													Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	21.1	3.1	545	148	92	0	10	7	13	16	11	23	6	124	20	73	70	3			
GLASGOW, .	24.3	2.9	248	69	32	0	3	1	7	8	5	6	1	65	11	29	38	3			
EDINBURGH,	17.5	3.5	91	21	24	0	1	0	5	5	2	5	0	14	1	17	21	0			
DUNDEE, . .	20.0	3.1	64	20	7	0	0	1	0	2	1	6	2	13	3	9	1	0			
ABERDEEN, .	22.7	2.5	54	12	14	0	0	3	0	0	1	2	1	13	2	11	1	0			
GREENOCK, .	17.7	5.2	27	7	3	0	4	1	0	0	1	2	0	6	2	3	1	0			
LEITH, . . .	19.2	2.0	29	12	4	0	0	0	1	0	1	1	2	9	0	2	5	0			
PAISLEY, . .	15.6	1.6	19	3	7	0	0	1	0	1	0	0	0	2	1	1	0	0			
PERTH, . . .	20.3	4.7	13	4	1	0	2	0	0	0	0	1	0	2	0	1	3	0			

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 26, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.3	2.2	494	123	95	0	9	6	13	10	6	12	11	111	18	62	67	1
GLASGOW, .	23.2	2.2	236	67	35	0	1	2	6	4	4	5	6	74	9	29	32	1
EDINBURGH,	15.4	2.3	79	13	18	0	2	1	3	5	0	1	0	13	4	19	23	0
DUNDEE, . .	16.6	1.3	52	13	11	0	0	0	1	0	0	3	0	6	0	5	5	0
ABERDEEN, .	17.1	2.1	40	9	14	0	3	0	0	0	2	0	2	5	1	3	0	0
GREENOCK, .	15.9	1.3	24	5	4	0	0	0	0	0	0	2	0	3	3	0	5	0
LEITH, . . .	21.8	5.4	32	12	3	0	3	1	2	1	0	1	3	6	0	1	1	0
PAISLEY, . .	14.1	1.7	17	3	4	0	0	1	1	0	0	0	0	2	0	0	1	0
PERTH, . . .	22.2	1.6	14	1	6	0	0	1	0	0	0	0	0	2	1	5	0	0

WEEKLY RETURN

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 44. WEEK ENDING SATURDAY, NOVEMBER 1, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 1, 1890, was 21·8 per thousand of estimated population. This rate is 1·5 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 16·4 per thousand; and the highest in Perth, viz., 29·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being an increase of 0·3 on the preceding week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 110, or 14 less than for last week.

The Mean Temperature was 43°·0, being 5°·3 below that for the week immediately preceding, and 1°·4 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 1, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Nov. 1, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	746	564	141	59·5	24·1	43·0	1·86
GLASGOW, . . .	6,111	530,208	86·763	8·02	318	244	63	57·9	24·1	43·9	2·07
EDINBURGH, . .	5,907	271,135	45·901	11·03	142	105	23	56·7	29·5	43·7	2·07
DUNDEE, . . .	3,408	166,027	48·717	10·71	89	69	11	59·4	29·2	42·2	1·38
ABERDEEN, . .	5,811	123,600	21·270	16·21	76	47	13	59·0	31·9	42·6	1·70
GREENOCK, . .	1,509	79,312	52·559	10·31	41	28	4	55·2	31·2	43·0	2·80
LEITH,	1,344	78,538	58·436	9·78	36	32	12	57·2	30·7	44·0	1·77
PAISLEY, . . .	3,493	63,469	18·170	17·53	30	20	11	56·3	30·3	44·3	1·74
PERTH,	4,336	33,274	7·674	26·99	14	19	4	59·5	28·0	40·5	1·36
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	827	519	185	57·0	29·5	44·4	0·67

2
Week ending Saturday, November 1, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, November 1, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.8	3.4	564	133	127	0	14	15	18	16	6	18	8	110	20	96	55	0
GLASGOW, .	23.9	3.4	244	47	50	0	4	9	5	8	4	5	2	57	9	46	20	0
EDINBURGH,	20.1	2.9	105	27	27	0	2	1	5	3	0	4	1	14	5	19	23	0
DUNDEE, . .	21.6	2.8	69	24	12	0	0	1	4	1	1	2	1	14	4	12	4	0
ABERDEEN, .	19.8	2.5	47	14	14	0	0	2	0	0	0	4	2	8	0	5	1	0
GREENOCK, .	18.4	4.6	28	11	5	0	5	1	0	0	0	1	0	6	0	2	2	0
LEITH, . . .	21.2	4.6	32	7	7	0	0	1	2	1	1	2	0	9	0	6	2	0
PAISLEY, . .	16.4	1.6	20	2	6	0	0	0	2	0	0	0	1	1	2	4	3	0
PERTH, . . .	29.7	9.4	19	1	6	0	3	0	0	3	0	0	1	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, November 2, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.3	2.1	519	127	101	0	7	10	9	10	4	13	10	143	21	71	71	2
GLASGOW, .	23.7	1.7	241	68	35	0	1	2	2	5	2	5	3	89	15	32	31	2
EDINBURGH,	17.1	2.3	88	17	17	0	2	1	3	3	2	1	3	18	1	15	31	0
DUNDEE, . .	17.2	1.3	54	13	13	0	0	0	1	1	0	2	1	10	2	7	2	0
ABERDEEN, .	21.0	2.6	49	12	9	0	3	0	1	0	0	2	1	7	1	7	2	0
GREENOCK, .	14.6	0.7	23	6	9	0	0	0	0	0	0	1	1	4	0	2	2	0
LEITH, . . .	23.8	5.4	35	7	8	0	1	5	1	0	0	1	0	7	2	5	3	0
PAISLEY, . .	11.6	2.5	14	3	7	0	0	0	1	1	0	1	1	4	0	0	0	0
PERTH, . . .	25.3	3.2	16	1	3	0	0	2	0	0	0	0	0	4	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 8, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 8, 1890, was 21·0 per thousand of estimated population. This rate is 1·2 above that for the corresponding week of last year, but 0·8 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 16·3 per thousand; and the highest in Paisley, viz., 27·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·6 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 117, being 7 above the number for last week.

The Mean Temperature was 42°·7, being 0°·3 below that for the week immediately preceding, and 3°·6 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 8, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Nov. 8, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	689	543	268	55·5	27·5	42·7	1·90
GLASGOW, . . .	6,111	530,208	86·763	8·02	313	240	162	54·9	31·5	42·8	1·44
EDINBURGH, . .	5,907	271,135	45·901	11·03	113	96	41	51·3	33·8	43·0	1·54
DUNDEE, . . .	3,408	166,027	48·717	10·71	75	52	17	—	—	—	—
ABERDEEN, . .	5,811	123,600	21·270	16·21	64	40	23	51·2	32·0	41·9	2·00
GREENOCK, . .	1,509	79,312	52·559	10·31	31	29	9	54·2	36·0	43·8	2·34
LEITH,	1,344	78,538	58·436	9·78	34	40	5	53·3	35·0	43·5	1·90
PAISLEY, . . .	3,493	63,469	18·170	17·53	39	33	9	54·1	35·7	43·4	1·88
PERTH,	4,336	33,274	7·674	26·99	20	13	2	55·5	27·5	40·4	2·23
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	851	507	231	68·0	29·0	46·3	0·30

Week ending Saturday, November 8, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 8, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	21.0	2.8	543	120	131	0	10	13	13	15	7	14	5	117	23	96	50	2		
GLASGOW, .	23.5	3.3	240	56	50	0	6	8	4	9	2	5	0	63	6	35	26	1		
EDINBURGH,	18.4	1.9	96	19	16	0	0	1	4	1	2	2	2	10	7	28	14	0		
DUNDEE, . .	16.3	1.9	52	15	19	0	0	0	1	2	1	2	1	16	2	5	0	0		
ABERDEEN, .	16.8	1.3	40	8	16	0	0	1	0	0	1	1	0	5	2	7	2	1		
GREENOCK, .	19.0	4.6	29	6	3	0	4	1	0	1	0	1	0	7	1	2	2	0		
LEITH, . . .	26.5	3.3	40	7	9	0	0	1	1	0	1	2	1	7	2	8	3	0		
PAISLEY, . .	27.0	4.1	33	8	11	0	0	1	2	2	0	0	1	7	2	7	2	0		
PERTH, . . .	20.3	3.1	13	1	7	0	0	0	1	0	0	1	0	2	1	4	1	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 9, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of			Deaths from											
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.8	2.1	507	131	89	0	10	9	10	8	6	10	6	121	38	60	51	1
GLASGOW, . .	24.1	2.4	245	66	36	0	6	4	2	6	2	4	1	67	30	29	28	1
EDINBURGH,	16.9	2.7	87	21	15	0	3	3	4	1	3	0	1	24	3	16	14	0
DUNDEE, . .	15.6	0.6	49	10	10	0	0	0	0	0	0	2	2	7	1	5	4	0
ABERDEEN, .	18.4	1.3	43	13	13	0	0	0	2	0	0	1	1	6	3	5	1	0
GREENOCK, .	17.3	1.3	26	9	4	0	0	0	0	0	0	2	0	6	1	1	4	0
LEITH, . . .	20.4	2.7	30	6	7	0	1	2	0	0	1	0	0	6	0	0	0	0
PAISLEY, . .	18.3	3.3	22	4	2	0	0	0	2	1	0	1	1	4	0	3	0	0
PERTH, . . .	7.9	0.0	5	2	2	0	0	0	0	0	0	0	0	1	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 15, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 15, 1890, was 20·4 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, but 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 14·2 per thousand; and the highest in Perth, viz., 31·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·2 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 132, or 15 more than for last week.

The Mean Temperature was 42°·4, being 0°·3 below that for the week immediately preceding, and 4°·4 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 15, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Nov. 15, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	728	527	154	56·9	28·0	42·4	1·76
GLASGOW, . . .	6,111	530,208	86·763	8·02	327	232	66	56·9	32·7	42·8	1·35
EDINBURGH, . . .	5,907	271,135	45·901	11·03	125	74	31	55·3	30·5	42·0	2·28
DUNDEE, . . .	3,408	166,027	48·717	10·71	81	64	15	48·8	33·4	41·6	0·97
ABERDEEN, . . .	5,811	123,600	21·270	16·21	63	47	17	50·8	38·8	44·7	2·20
GREENOCK, . . .	1,509	79,312	52·559	10·31	32	31	7	55·2	28·0	42·4	2·63
LEITH,	1,344	78,538	58·436	9·78	41	31	6	55·7	31·6	43·1	1·30
PAISLEY,	3,493	63,469	18·170	17·53	41	28	6	55·9	33·2	43·1	1·68
PERTH,	4,336	33,274	7·674	26·99	18	20	6	49·0	30·0	39·4	1·71
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	792	509	177	62·5	31·8	46·8	0·13

Week ending Saturday, November 15, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 15, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.4	2.6	527	115	111	0	14	6	6	14	9	18	5	132	16	70	53	4
GLASGOW, .	22.8	2.9	232	49	40	0	7	1	1	7	6	8	2	61	7	27	23	4
EDINBURGH,	14.2	1.2	74	16	19	0	0	3	1	0	0	2	0	15	2	12	17	0
DUNDEE, . .	20.0	1.3	64	20	17	0	0	0	0	0	0	4	2	16	2	10	0	0
ABERDEEN, .	19.8	1.7	47	13	11	0	0	0	0	2	1	1	0	11	1	6	2	0
GREENOCK, .	20.3	6.6	31	9	3	0	6	1	0	2	0	1	1	7	0	2	5	0
LEITH, . . .	20.5	2.6	31	6	9	0	0	0	0	2	1	1	0	9	1	3	3	0
PAISLEY, . .	23.9	5.7	28	2	5	0	0	1	4	1	1	0	0	6	2	6	2	0
PERTH, . . .	31.2	3.1	20	0	7	0	1	0	0	0	0	1	0	7	1	4	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 16, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week Include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.9	2.5	509	123	89	0	13	5	16	14	5	11	7	142	23	69	63	3
GLASGOW, .	22.8	3.1	232	62	29	0	5	2	3	10	3	8	1	75	12	31	27	2
EDINBURGH,	20.7	2.3	106	22	21	0	7	0	3	1	0	1	3	22	5	20	25	0
DUNDEE, . .	14.0	1.3	44	9	10	0	0	0	3	0	0	1	0	16	0	6	3	0
ABERDEEN, .	17.6	1.3	41	9	7	0	1	0	0	0	1	1	0	6	3	6	2	0
GREENOCK, .	15.9	2.0	24	6	3	0	0	0	1	1	1	0	1	5	2	4	3	0
LEITH, . . .	13.6	2.7	20	5	6	0	0	2	2	0	0	0	0	7	0	1	1	0
PAISLEY, . .	22.4	5.0	27	8	5	0	0	0	4	2	0	0	1	8	0	0	1	0
PERTH, . . .	23.7	1.6	15	2	8	0	0	1	0	0	0	0	1	3	1	1	1	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 22, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 22, 1890, was 21·3 per thousand of estimated population. This rate is 0·7 above that for the corresponding week of last year, and 0·9 above that for the previous week of the present year.

The lowest mortality was recorded in Perth viz., 14·1 per thousand; and the highest in Greenock, viz., 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 133, or 1 more than for the previous week.

The Mean Temperature was 45°·5, being 3°·1 above that for the week immediately preceding, and 1°·0 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 22, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Nov. 22, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	797	551	206	58·6	29·0	45·5	1·01
GLASGOW, . . .	6,111	530,208	86·763	8·02	363	244	93	57·5	32·8	46·4	1·15
EDINBURGH, . . .	5,907	271,135	45·901	11·03	134	94	52	58·0	30·5	45·8	0·52
DUNDEE, . . .	3,408	166,027	48·717	10·71	88	53	21	54·7	32·2	43·2	0·57
ABERDEEN, . . .	5,811	123,600	21·270	16·21	83	54	11	57·2	30·5	44·5	0·46
GREENOCK, . . .	1,509	79,312	52·559	10·31	34	44	3	57·0	36·0	47·0	2·81
LEITH,	1,344	78,538	58·436	9·78	35	27	10	58·6	33·4	47·0	0·65
PAISLEY,	3,493	63,469	18·170	17·53	53	26	11	55·9	33·9	47·2	1·23
PERTH,	4,336	33,274	7·674	26·99	7	9	5	56·5	29·0	42·9	0·73
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	730	527	211	56·8	23·9	44·5	0·51

Week ending Saturday, November 22, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 22, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from													
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	21·3	2·5	551	111	110	0	16	3	15	12	11	8	9	133	22	86	52	2	
GLASGOW, .	23·9	3·0	244	45	47	0	8	1	6	7	6	3	1	62	10	44	23	2	
EDINBURGH,	18·0	1·5	94	12	23	0	1	0	2	2	1	2	1	23	3	19	18	0	
DUNDEE, . .	16·6	1·3	53	14	7	0	0	0	2	0	2	0	0	13	1	4	1	0	
ABERDEEN, .	22·7	1·3	54	12	14	0	0	1	1	0	0	1	3	5	3	8	2	0	
GREENOCK, .	28·9	6·6	44	12	5	0	6	0	1	2	6	1	1	15	2	3	3	0	
LEITH, . . .	17·9	2·0	27	10	2	0	0	0	1	1	1	0	0	7	2	5	3	0	
PAISLEY, . .	21·3	2·5	26	4	4	0	0	1	0	0	1	1	3	5	0	2	0	0	
PERTH, . . .	14·1	4·7	9	2	3	0	1	0	2	0	0	0	0	3	1	1	2	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 23, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from													
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	20·6	2·1	527	128	107	0	7	8	8	7	8	15	9	126	20	75	46	2	
GLASGOW, .	23·9	2·4	243	58	32	0	4	4	3	5	3	5	0	69	10	33	21	2	
EDINBURGH,	20·3	2·1	104	21	25	0	1	1	3	0	1	5	1	20	7	23	13	0	
DUNDEE, . .	14·6	1·6	46	17	13	0	0	0	1	1	1	2	3	8	1	2	4	0	
ABERDEEN, .	21·0	1·3	49	10	8	0	2	0	0	0	0	1	1	6	0	9	1	0	
GREENOCK, .	19·9	1·3	30	6	8	0	0	0	0	0	2	0	1	8	1	4	4	0	
LEITH, . . .	15·7	2·7	23	5	7	0	0	3	0	0	1	0	2	5	1	2	1	0	
PAISLEY, . .	17·5	2·5	21	9	7	0	0	0	1	1	0	1	1	9	0	1	2	0	
PERTH, . . .	17·4	1·6	11	2	7	0	0	0	0	0	0	1	0	1	0	1	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 48. WEEK ENDING SATURDAY, NOVEMBER 29, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 29, 1890, was 20·7 per thousand of estimated population. This rate is 0·3 below that for the corresponding week of last year, and 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·5 per thousand; and the highest in Glasgow, viz., 24·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·9 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 128, being 5 less than for the previous week.

The Mean Temperature was 35°·2, being 10°·3 below that for the week immediately preceding, and 2°·7 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 29, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Nov. 29, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	760	536	252	54·0	12·0	35·2	0·89
GLASGOW, . . .	6,111	530,208	86·763	8·02	351	252	118	54·0	20·6	34·9	0·66
EDINBURGH, . .	5,907	271,135	45·901	11·03	130	80	63	51·5	24·0	35·1	0·70
DUNDEE, . . .	3,408	166,027	48·717	10·71	82	67	19	51·9	23·7	34·6	0·54
ABERDEEN, . .	5,811	123,600	21·270	16·21	65	47	23	48·1	22·6	34·2	0·63
GREENOCK, . .	1,509	79,312	52·559	10·31	31	35	7	53·7	27·0	37·2	2·14
LEITH,	1,344	78,538	58·436	9·78	50	27	6	54·0	27·0	36·1	0·84
PAISLEY, . . .	3,493	63,469	18·170	17·53	36	20	10	51·9	25·2	36·0	1·09
PERTH,	4,336	33,274	7·674	26·99	15	8	6	53·0	12·0	33·6	0·53
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	794	536	232	50·0	24·9	37·9	0·39

Week ending Saturday, November 29, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, November 29, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20·7	3·4	536	105	96	0	24	8	15	24	8	8	6	128	12	82	59
GLASGOW, .	24·7	5·0	252	52	37	0	14	4	8	15	4	6	1	55	8	48	33
EDINBURGH,	15·3	1·9	80	14	19	0	1	2	3	2	2	0	2	19	0	14	18
DUNDEE, . .	21·0	1·9	67	15	16	0	0	0	2	3	0	1	1	22	0	3	2
ABERDEEN, .	19·8	0·4	47	6	13	0	0	1	0	0	0	0	0	11	0	4	1
GREENOCK, .	23·0	5·9	35	6	3	0	9	0	0	0	0	0	1	13	1	1	1
LEITH, . . .	17·9	3·3	27	8	6	0	0	0	2	2	1	0	0	5	1	6	2
PAISLEY, . .	16·4	1·6	20	3	2	0	0	0	0	0	1	1	1	3	1	4	1
PERTH, . . .	12·5	4·7	8	1	0	0	0	1	0	2	0	0	0	0	1	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, November 30, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21·0	3·2	536	151	91	1	18	13	9	21	8	11	10	111	23	82	56
GLASGOW, .	22·5	2·1	229	65	29	0	5	6	4	3	1	2	2	59	16	36	24
EDINBURGH,	22·0	5·5	113	27	27	*1	13	1	1	3	4	5	3	16	1	22	25
DUNDEE, . .	15·0	1·9	47	14	8	0	0	0	1	3	1	1	2	4	3	5	2
ABERDEEN, .	23·1	2·1	54	13	13	0	0	0	0	3	1	1	1	10	2	6	1
GREENOCK, .	20·5	4·0	31	13	5	0	0	0	0	4	1	1	1	9	0	3	3
LEITH, . . .	17·7	6·8	26	10	2	0	0	5	2	2	0	1	0	7	0	5	1
PAISLEY, . .	20·8	3·3	25	8	4	0	0	0	1	3	0	0	0	6	0	3	0
PERTH, . . .	17·4	1·6	11	1	3	0	0	1	0	0	0	0	1	0	1	2	0

* Chickenpox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 6, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 6, 1890, was 22·1 per thousand of estimated population. This rate is 1·8 below that for the corresponding week of last year, but 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 18·2 per thousand; and the highest in Paisley, viz., 31·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 1·1 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 155, being 27 above the number for last week.

The Mean Temperature was 42°·1, being 6°·9 above that for the week immediately preceding, and 4°·3 above that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 6, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Dec. 6, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	814	571	277	55·6	24·0	42·1	1·24
GLASGOW, . . .	6,111	530,208	86·763	8·02	360	238	118	53·9	33·6	42·7	1·12
EDINBURGH, . .	5,907	271,135	45·901	11·03	131	95	67	52·0	32·0	42·0	1·61
DUNDEE, . . .	3,408	166,027	48·717	10·71	93	62	29	51·3	32·1	41·2	1·18
ABERDEEN, . .	5,811	123,600	21·270	16·21	79	48	27	54·2	31·0	42·3	1·19
GREENOCK, . .	1,509	79,312	52·559	10·31	41	44	6	52·0	27·0	41·4	1·39
LEITH,	1,344	78,538	58·436	9·78	53	32	8	55·6	32·4	43·4	1·17
PAISLEY, . . .	3,493	63,469	18·170	17·53	43	38	11	52·6	33·1	42·5	0·98
PERTH,	4,336	33,274	7·674	26·99	14	14	11	53·5	24·0	41·1	1·26
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	800	612	282	47·5	25·0	37·8	0·24

Week ending Saturday, December 6, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 6, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.1	2.3	571	121	139	0	12	7	11	13	7	10	4	155	13	84	74	1
GLASGOW, .	23.3	2.7	238	41	54	0	6	4	3	9	2	4	0	67	6	45	27	1
EDINBURGH,	18.2	1.9	95	18	21	0	0	1	3	1	3	2	1	20	2	17	28	0
DUNDEE, . .	19.4	2.2	62	17	21	0	0	1	0	2	1	3	0	17	0	5	5	0
ABERDEEN, .	20.2	0.8	48	14	14	0	0	0	2	0	0	0	0	13	4	7	2	0
GREENOCK, .	28.9	4.6	44	14	8	0	6	0	0	0	0	1	2	18	0	2	5	0
LEITH, . . .	21.2	2.6	32	9	9	0	0	0	3	1	0	0	0	6	0	3	3	0
PAISLEY, . .	31.1	1.6	38	6	7	0	0	1	0	0	1	0	1	11	1	2	3	0
PERTH, . . .	21.9	0.0	14	2	5	0	0	0	0	0	0	0	0	3	0	3	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 7, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23.9	2.6	612	158	124	0	11	13	9	20	4	10	9	157	27	73	80	0
GLASGOW, .	25.2	2.3	256	62	54	0	3	3	3	9	1	4	4	83	6	28	25	0
EDINBURGH,	26.3	3.7	135	33	23	0	7	1	1	8	1	1	2	27	7	24	45	0
DUNDEE, . .	19.7	0.3	62	20	15	0	0	0	0	1	0	0	0	14	7	6	0	0
ABERDEEN, .	18.0	1.7	42	11	9	0	1	0	0	0	2	1	3	8	3	5	0	0
GREENOCK, .	21.9	4.6	33	8	10	0	0	0	2	2	0	3	0	8	0	0	6	0
LEITH, . . .	26.5	6.1	39	10	4	0	0	8	1	0	0	0	0	7	2	6	1	0
PAISLEY, . .	2.4	2.5	32	9	6	0	0	0	2	0	0	1	0	9	1	2	3	0
PERTH, . . .	20.6	1.6	13	5	3	0	0	1	0	0	0	0	0	1	1	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 13, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 13, 1890, was 20·1 per thousand of estimated population. This rate is 3·5 below that for the corresponding week of last year, and 2·0 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·3 per thousand; and the highest in Perth, viz., 28·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·8 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 133, or 22 less than for the previous week.

The Mean Temperature was 35°·0, being 7°·1 below that for the week immediately preceding, and 3°·5 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 13, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Dec. 13, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	822	519	184	44·1	21·9	35·0	0·09
GLASGOW, . . .	6,111	530,208	86·763	8·02	361	229	80	43·0	24·9	34·7	0·04
EDINBURGH, . .	5,907	271,135	45·901	11·03	152	97	32	41·2	24·0	33·9	0·02
DUNDEE, . . .	3,408	166,027	48·717	10·71	89	58	16	41·6	27·0	34·7	0·17
ABERDEEN, . .	5,811	123,600	21·270	16·21	82	43	18	44·1	29·3	38·7	0·09
GREENOCK, . .	1,509	79,312	52·559	10·31	33	26	14	40·2	29·0	35·1	0·15
LEITH,	1,344	78,538	58·436	9·78	54	17	12	41·6	26·0	34·9	0·04
PAISLEY, . . .	3,493	63,469	18·170	17·53	34	31	4	40·2	27·9	34·8	0·06
PERTH,	4,336	33,274	7·674	26·99	17	18	8	41·5	21·9	33·3	0·13
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	821	604	184	54·5	20·0	38·5	0·59

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by ADAM AND CHARLES BLACK, 6 North Bridge, Edinburgh.

[TURN OVER.]

Week ending Saturday, December 13, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 13, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20.1	1.8	519	116	113	0	12	2	6	16	2	8	4	133	10	66	53
GLASGOW, .	22.4	2.7	229	53	38	0	7	2	3	13	0	3	1	68	4	31	22
EDINBURGH,	18.6	1.0	97	17	30	0	1	0	0	3	0	1	0	21	1	15	26
DUNDEE, . .	18.2	0.6	58	16	12	0	0	0	0	0	1	1	0	11	3	8	1
ABERDEEN, .	18.1	0.4	43	11	7	0	1	0	0	0	0	0	1	12	0	3	0
GREENOCK, .	17.0	2.6	26	5	6	0	2	0	0	0	1	1	1	5	0	2	0
LEITH, . . .	11.3	0.0	17	5	2	0	0	0	0	0	0	0	1	4	2	3	1
PAISLEY, . .	25.4	3.3	31	5	12	0	0	0	3	0	0	1	0	6	0	3	3
PERTH, . . .	28.1	3.1	18	4	6	0	1	0	0	0	0	1	0	6	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 14, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.6	3.3	604	126	129	0	20	8	20	16	7	14	10	157	24	90	78
GLASGOW, .	26.6	4.0	270	59	47	0	11	3	5	9	6	7	3	73	15	50	31
EDINBURGH,	23.0	3.1	118	20	31	0	8	1	4	2	1	0	1	31	2	24	23
DUNDEE, . .	20.1	2.9	63	15	15	0	0	0	3	3	0	3	1	19	1	4	6
ABERDEEN, .	25.7	1.7	60	9	21	0	1	0	1	0	0	2	2	12	2	8	4
GREENOCK, .	20.6	2.7	31	10	1	0	0	0	2	2	0	0	2	7	2	2	9
LEITH, . . .	16.3	4.8	24	5	5	0	0	3	3	0	0	1	0	4	2	1	2
PAISLEY, . .	22.4	3.3	27	8	5	0	0	1	2	0	0	1	0	8	0	1	3
PERTH, . . .	17.4	0.0	11	0	4	0	0	0	0	0	0	0	1	3	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 20, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 20, 1890, was 21·9 per thousand of estimated population. This rate is 4·2 below that for the corresponding week of last year, but 1·8 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 14·4 per thousand; and the highest in Perth, viz., 28·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 134, or one more than for the previous week.

The Mean Temperature was 33°·7, being 1°·3 below that for the week immediately preceding, and 8°·8 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 20, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Dec. 20, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	821	566	183	45·5	21·5	33·7	0·22
GLASGOW, . . .	6,111	530,208	86·763	8·02	347	249	73	43·7	26·5	32·6	0·10
EDINBURGH, . .	5,907	271,135	45·901	11·03	132	127	51	41·9	22·5	33·0	0·10
DUNDEE, . . .	3,408	166,027	48·717	10·71	98	50	16	42·2	23·6	33·6	0·09
ABERDEEN, . .	5,811	123,600	21·270	16·21	98	46	19	44·1	27·0	35·7	1·05
GREENOCK, . .	1,509	79,312	52·559	10·31	42	22	5	45·5	26·5	33·9	0·14
LEITH,	1,344	78,538	58·436	9·78	48	23	8	43·0	24·9	34·0	0·05
PAISLEY, . . .	3,493	63,469	18·170	17·53	37	31	7	43·7	27·1	34·1	0·13
PERTH,	4,336	33,274	7·674	26·99	19	18	4	43·5	21·5	32·5	0·14
Corresponding Week of 1889. — Eight Towns.	31,919	1,329,884	41·664	11·58	781	667	192	55·5	26·0	42·5	1·08

Week ending Saturday, December 20, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 20, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.9	2.1	566	110	142	0	11	10	8	12	6	7	5	134	16	90	50	3
GLASGOW, .	24.4	2.6	249	47	55	0	4	7	5	7	1	2	1	66	8	39	22	2
EDINBURGH,	24.4	1.5	127	23	40	0	2	1	1	1	1	2	1	25	2	26	22	0
DUNDEE, . .	15.7	0.9	50	10	13	0	0	0	0	0	0	3	2	12	3	4	2	0
ABERDEEN, .	19.4	0.8	46	13	12	0	1	0	1	0	0	0	0	11	1	4	1	1
GREENOCK, .	14.4	3.3	22	4	3	0	3	0	0	0	2	0	0	5	0	1	0	0
LEITH, . . .	15.2	2.6	23	3	4	0	0	0	1	2	1	0	0	6	2	5	0	0
PAISLEY, . .	25.4	3.3	31	6	11	0	0	2	0	1	1	0	1	4	0	7	3	0
PERTH, . . .	28.1	3.1	18	4	4	0	1	0	0	1	0	0	0	5	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 21, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	26.1	3.3	667	157	137	0	26	12	8	27	6	9	8	173	14	100	79	3
GLASGOW, .	29.9	3.4	304	68	53	0	11	1	4	14	3	2	3	89	6	45	29	3
EDINBURGH,	26.1	5.6	134	29	31	0	14	0	3	7	1	4	2	26	4	26	33	0
DUNDEE, . .	26.4	1.6	83	23	15	0	0	0	1	3	1	0	2	21	0	11	5	0
ABERDEEN, .	25.7	1.7	60	17	19	0	1	1	0	0	0	2	0	15	1	7	2	0
GREENOCK, .	12.0	1.3	18	5	5	0	0	1	0	0	0	1	1	6	1	1	4	0
LEITH, . . .	24.5	6.1	36	6	5	0	0	7	0	2	0	0	0	6	0	4	2	0
PAISLEY, . .	12.3	1.4	18	6	5	0	0	0	0	1	1	0	0	7	0	4	3	0
PERTH, . . .	22.2	3.2	14	3	4	0	0	2	0	0	0	0	0	3	2	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 27, 1890.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 27, 1890, was 24·6 per thousand of estimated population. This rate is exactly the same as that for the corresponding week of last year, but 2·7 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·6 per thousand; and the highest in Glasgow, viz., 29·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·6 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 177, being an increase of 3 on the number for last week.

The Mean Temperature was 33°·2, being 0°·5 below that for the week immediately preceding, and 7°·0 below that for the corresponding week of 1889.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 27, 1890, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1890.	Persons to an Acre. 1890.	Prox- imity in Yards.	Registered during the Week ending Dec. 27, 1890.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,345,563	42·156	11·51	758	637	253	46·8	13·0	33·2	0·38
GLASGOW, . . .	6,111	530,208	86·763	8·02	339	297	98	45·4	20·4	33·1	0·27
EDINBURGH, . .	5,907	271,135	45·901	11·03	111	105	52	45·5	22·2	34·3	0·22
DUNDEE, . . .	3,408	166,027	48·717	10·71	92	78	25	38·5	22·9	32·0	0·62
ABERDEEN, . . .	5,811	123,600	21·270	16·21	70	46	32	43·0	17·0	32·6	0·72
GREENOCK, . . .	1,509	79,312	52·559	10·31	42	34	8	46·0	26·0	35·8	0·28
LEITH,	1,344	78,538	58·436	9·78	41	25	17	43·2	25·4	35·6	0·38
PAISLEY,	3,493	63,469	18·170	17·53	54	35	14	46·8	20·8	33·9	0·16
PERTH,	4,336	33,274	7·674	26·99	9	17	7	40·5	13·0	28·2	0·43
Corresponding Week of 1889.—Eight Towns.	31,919	1,329,884	41·664	11·58	796	630	279	50·9	25·0	40·2	0·45

Week ending Saturday, December 27, 1890.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 27, 1890.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	24.6	2.7	637	103	170	0	19	5	9	22	7	8	5	177	21	99	69	4
GLASGOW, .	29.1	3.2	297	47	69	0	8	3	4	13	2	3	3	88	12	43	31	2
EDINBURGH,	20.1	2.3	105	12	35	0	0	0	1	5	4	2	0	30	1	21	22	0
DUNDEE, . .	24.4	1.6	78	18	25	0	0	0	1	2	0	2	0	18	7	8	3	0
ABERDEEN, .	19.4	2.5	46	8	15	0	1	2	1	0	1	1	1	13	0	11	1	0
GREENOCK, .	22.3	5.2	34	8	9	0	8	0	0	0	0	0	1	12	0	3	3	1
LEITH, . . .	16.6	0.7	25	3	2	0	0	0	1	0	0	0	0	6	1	2	3	0
PAISLEY, . .	28.7	1.6	35	4	11	0	0	0	1	1	0	0	0	9	0	8	4	0
PERTH, . . .	26.6	4.7	17	3	4	0	2	0	0	1	0	0	0	1	0	3	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 28, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From all Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	24.6	3.0	630	114	145	0	25	6	8	17	12	9	17	172	17	98	86	5		
GLASGOW, .	29.1	3.6	296	47	63	0	13	1	5	7	6	5	3	98	9	54	41	5		
EDINBURGH,	24.0	4.5	123	26	28	0	12	0	1	8	1	1	1	29	0	20	31	0		
DUNDEE, . .	24.5	1.0	77	18	17	0	0	0	2	0	1	0	2	18	6	9	3	0		
ABERDEEN, .	21.4	1.7	50	5	15	0	0	1	0	0	0	3	8	6	1	5	3	0		
GREENOCK, .	18.6	2.7	28	7	5	0	0	1	0	1	2	0	2	8	0	3	2	0		
LEITH, . . .	15.0	2.7	22	6	2	0	0	3	0	1	0	0	0	4	1	2	2	0		
PAISLEY, . .	23.3	1.7	28	4	10	0	0	0	0	0	2	0	1	7	0	5	2	0		
PERTH, . . .	9.5	0.0	6	1	5	0	0	0	0	0	0	0	0	2	0	0	2	0		